

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Abies cephalonica Greek Fir; Grecian Fir <i>EVERGREEN CONIFER; bright glossy dark green pointed needles; breaks bud early in season which can be damaged by late frosts; large pyramidal to 100' or more in its' native range; intolerant of atmospheric pollution; does not transplant well at larger sizes; deer browse resistant; locate in full sun or partial shade & well-drained moisture retentive soils; tolerant of most soil acidity; native to Greece; Zones 5 - 7</i>		6 - 7'	B&B	N
Abies nordmanniana Nordmann Fir; Caucasian Fir <i>EVERGREEN CONIFER; flat grossy dark green needles notched & rounded at the tip; pyramidal habit to about 50' tall & half as wide at the base; 6" by 2" cylindrical cones mature to reddish-brown; deer browse resistant; locate in full to partial sun & very well-drained slightly acidic moisture retentive soil; one of the most heat tolerant species; southwestern Asian native; Zones (4) 5 - 6 (7)</i>		7 - 8'	B&B	
Acer campestre Metro Gold® ('Panacek') Hedge Maple <i>DECIDUOUS SHADE TREE; inconspicuous yellowish-green flowers in late April or May; minimal fruit set; larger darker green leaves that turn bright yellow in fall; tight upright habit to about 35' by 20' wide; good street tree under wires; tolerates urban conditions; locate in full sun to partial shade & about any well-drained soil; native of Europe & Africa (Panacek / Schmidt) Zones 6 - 8</i>		2 - 2.5'c	B&B	N
Acer campestre Queen Elizabeth ('Evelyn') Hedge Maple <i>DECIDUOUS SHADE TREE; small tree to about 35' tall with a 30' wide head; more vigorous than the species with larger darker green leaves; good street tree under utility lines; yellowish fall foliage; locate in full sun to partial shade & about any well drained & compacted soil; native of Europe & Africa (Schmidt) Zones (5) 6 - 8</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	N
Acer x freemanii 'Armstrong' Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun & most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>		6 - 8' 2 - 2.5'c	2g B&B	
Acer x freemanii Autumn Blaze® ('Jeffersred') Freeman Maple <i>DECIDUOUS SHADE TREE; minimal small inconspicuous red to yellowish-green flowers; orange-red to scarlet red fall foliage; broadly upright habit to about 55' tall by 40' wide at maturity; adaptable to a wide range of conditions; tolerates extended wet soils; locate in full sun or light shade & most any soil regardless of acidity or moisture but not continually wet; native US cross [A. rubrum x A. saccharinum] (Jeffers) Zones 3 - 7</i>		2 - 2.5'c	B&B	N
Acer griseum Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth & branching reaching to about 25' tall & wide or larger; branching starts at the ground - usually with multiple main trunks; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>	BUSH	6 - 7' 8 - 10'	B&B B&B	
Acer griseum Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth & branching reaching to about 25' tall & wide or larger; there is a single trunk for 3' to 6' or possibly more; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>	TREE FORM	2 - 2.5'c	B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer rubrum Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; dark green summer foliage turns variable shades of yellow to bright red in fall; large broadly upright habit to about 50' or more tall with heads close to that width; locate in full sun & moisture retentive well-drained slightly acidic soil; US native; Zones 3 - 9</i>		3 - 5'	2g	
Acer rubrum 'Brandywine' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; profuse small dark red male flowers in early spring; seedless; medium green summer foliage turns red before becoming purple-red & is resistant to leafhoppers; oval to pyramidal habit to about 35' tall by 20' wide; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i>		6 - 8'	2g	N
Acer rubrum 'Karpick' Fastigiate Red Maple; Fastigiate Swamp Maple <i>DECIDUOUS SHADE TREE; small red flowers appear in early spring before the foliage & presents a reddish cast; male/seedless; compact upright pyramidal habit to about 50' tall by 20' wide; dark green summer foliage turns shades of yellow &/or red in mid-fall; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Schichtel) Zones 4 - 9</i>		6 - 8'	2g	N
Acer rubrum 'October Glory' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall & about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun & moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		5 - 6'	2g	
Acer rubrum Red Sunset ('Franksred') Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head; grows to 50' tall; showy orange to red fall foliage; locate in full sun & moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>		5 - 6' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	3g B&B B&B B&B B&B	
Acer rubrum Redpoint ('Frank Jr') Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal habit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright red in early fall; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Schmidt) Zones 4 - 9</i>		2.5 - 3" c 3 - 3.5" c	B&B B&B	
Acer rubrum 'Sun Valley' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall & 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i>		2 - 3' stk 2 - 2.5" c 2.5 - 3" c	2g B&B B&B	
Acer saccharum 'Commemoration' Sugar Maple <i>DECIDUOUS SHADE TREE; fast grower with oval to rounded head gets about 50' tall by 35' wide; dense thick dark green foliage resists leaf tatter & turns brilliant orange & yellow in fall; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Wandell) Zones 4 - 8</i>		2 - 2.5" c	B&B	

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Acer saccharum 'Green Mountain' Sugar Maple <i>DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch & leaf tatter; variable yellow to orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8</i>		2 - 2.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B	_____ _____ _____	N N
Aesculus flava Yellow Buckeye <i>DECIDUOUS SHADE TREE; 7" long yellowish-green flowers in May; large growing tree to about 75' tall by 40' wide; tolerant of urban conditions; resistant to foliar diseases; locate in full sun & rich organic slightly acidic well-drained soil; eastern US native (formerly: A. octandra) Zones 4 - 8</i>		2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	_____ _____ _____	N N
Aesculus pavia TREE FORM Red Buckeye; Red Horse Chestnut <i>DECIDUOUS FLOWERING SHRUB; red flowers in late April or early March on most seedlings (some native to Texas are yellow); large bush or small tree to about 15' tall & wide; locate in full sun or light shade & rich organic well-drained moisture retentive slightly acidic soil; PHS Gold Metal; southeast US native; Zones 4 - 8</i>		2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	_____ _____ _____	
Amelanchier x grandiflora 'Autumn Brilliance' BUSH Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	Spring	6 - 7'	B&B	_____	
Amelanchier laevis TREE FORM Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in April; sweet black edible fruit in June; new foliage opens bronzy-purple before turning dark green then reddish-orange in fall; bushy upright habit to about 25' tall & wide; staked to have a single trunk; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8</i>		2 - 2.5"	B&B	_____	N
Aronia arbutifolia 'Brilliantissima' Red Chokeberry <i>DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9</i>		3 - 4'	7g	_____	N
Aronia melanocarpa 'Viking' Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant reddish-orange in the fall; bushy grower to about 5' tall; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; Zones 3 - 8 (9)</i>		24 - 30"	7g	_____	
Asimina triloba KSU Atwoodâ„¢ Atwood Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; heavy crops of medium sized yellow edible custard-like fruit in late summer tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high & wide; highly resistant to deer browse; improved disease resistant; locate in full sun or minimal shade & well-drained moisture retentive soil, eastern US native (U KY) Zones 5 - 8</i>		6'	10g	_____	N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Asimina triloba 'NC-1' NC-1 Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; yellow edible custard-like fruit in late summer tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high & wide; highly resistant to deer browse; disease resistant; locate in full sun or minimal shade & well-drained moisture retentive soil, eastern US native; Canadian introduction; Zones (4) 5 - 8</i>		5 - 6'	10g	_____	N
Asimina triloba 'Pennsylvania Golden' PA Gold Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large yellow edible custard-like fruit that ripens early to mid-season & tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high & wide; highly resistant to deer browse; disease resistant; locate in full sun or minimal shade & well-drained moisture retentive soil, eastern US native; Zones 5 - 8</i>		6 - 7'	10g	_____	N
Asimina triloba 'Prolific' Prolific Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; masses of large yellow edible custard-like fruit in late summer or early fall tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is being seen in dryer sites; eastern US native; Zones 5 - 8</i>		4 - 5'	10g	_____	N
Azalea 'Golden Comet' Yellow Pontic Azalea <i>DECIDUOUS FLOWERING SHRUB; large very fragrant bright yellow trusses of up to 30 flowers with a darker throat for an extended time in mid-spring; yellowish-green summer foliage turns bright red to purplish in fall & resists powdery mildew; broadly upright habit to about 4' tall & wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to partial shade & well-drained moisture retentive acidic soil; European native [R. luteum] (Robbins / R. Species F.) (- 20° F) - 15° F</i>		18 - 21"	5g	_____	N
Azalea 'Poukhanense' <i>see: Rhododendron yedoense var. poukhanense</i>				_____	
Betula nigra River Birch <i>DECIDUOUS ORNAMENTAL TREE; broadly pyramidal heads to about 40' or more tall; shaggy tan exfoliating bark; golden fall foliage; bronze birch borer resistant; tolerates a wide soil range; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; somewhat drought tolerant; US native; Zones 4 - 9</i>	CLUMP	6 - 8'	7g	_____	N
Betula nigra Heritage® ('Cully') River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; resists drought, leaf spot & borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>	CLUMP	7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B	_____ _____ _____	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus x Chicagoland Green ('Glencoe') Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; compact spreading evergreen to 3' tall; 2 winter tests in Kansas (-13° & -10°) indicates this has the best winter color retention; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. sempervirens x B. sinica var. insularis] Zones (4) 5 - 8</i>		15 - 18" spr 24 - 30" spr 30 - 36" spr	5g B&B B&B	_____ _____ _____
Buxus x 'Green Mountain' BUSH Pyramidal Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		30 - 36"	B&B	_____
Buxus microphylla 'Green Beauty' BUSH Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact globular mound to about 3' & wide; suitable in all sun exposures; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9)</i>		15 - 18" spr	5g	_____ N
Buxus microphylla 'Winter Gem' <i>see: Buxus sinica var. insularis 'Winter Gem'</i>				_____
Buxus microphylla 'Wintergreen' <i>see: Buxus sinica var. insularis 'Wintergreen'</i>				_____
Buxus sempervirens 'Dee Runk' Fastigiate Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia & Africa; Zones (5) 6 - 8</i>		18 - 24" 36 - 42"	5g B&B	_____ _____
Buxus sempervirens 'Elegantissima' BUSH Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; foliage has creamy white edges surrounding dark green centers; slow upright rounded habit; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>		10 - 12"	3g	_____
Buxus sempervirens 'Graham Blandy' Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage; very narrow upright habit to about 10' tall by 2' wide; narrower but more susceptible to disease & insects than other columnar forms; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7</i>		5 - 6'	B&B	_____

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Buxus sempervirens 'Suffruticosa' Dwarf English Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium to dark green foliage; very slow broadly upright habit to about 2' tall by 18" wide in 10 or more years; broadens with age; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>		24 - 30"	B&B	_____	
Buxus sinica var. insularis 'Tide Hill' Dwarf Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium green foliage will sunburn in summer without afternoon or filtered shade; slow growing broadly spreading habit to about 15" tall & much wider; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones (5) 6 - 9</i>		15 - 18" spr	5g	_____	
Buxus sinica var. insularis 'Winter Gem' Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>		12 - 15" spr 15 - 18" spr	5g 5g	_____ _____	N
Buxus sinica var. insularis 'Wintergreen' Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage color is retained in most winters; compact rounded mounding habit to about 5' tall & wide in 15 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>	BUSH	30 - 36" spr 36 - 42" spr	B&B B&B	_____ _____	
Callitropsis nootkatensis <i>see: Chamaecyparis nootkatensis</i>				_____	
Calocedrus decurrens (Longwood strain) Incense Cedar <i>EVERGREEN CONIFER; columnar habit to about 50' in eastern US, much more out west; bright green foliage; locate in full sun or light shade with well-drained organic soils; quite drought & heat tolerant when established; not tolerant of urban conditions; native to western US; Zones 5 - 10</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	N N
Carpinus betulus 'Franz Fontaine' Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching normally starts at 5' above the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>	BRANCHED @ 5'	Spring Spring	2 - 2.5'c 2.5 - 3'c	_____ _____	N N
Carpinus betulus 'Franz Fontaine' Fastigiate European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>	LOW BRANCHED	Spring	7 - 8'	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Carpinus caroliniana American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; new foliage emerges with purplish tints before maturing to dark green by summer then variable shades of yellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 30' tall & wide; tolerant of heavy shearing; branching starts about 4' above the ground; locate in full sun or full shade & just about soil condition; US native; Zones 3 - 9</i>		6 - 7' stk 2 - 2.5"c 2.5 - 3"c 3 - 3.5"c 3.5 - 4"c 4 - 4.5"c	2g B&B B&B B&B B&B B&B	
Carpinus caroliniana Wisconsin Red â„¢ ('My Select Strain') American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; reddish-orange to brown nut in fall; dark green summer foliage becomes variable shades of red, orange & yellow in fall; best fall color in full sun; smooth irregularly fluted gray bark; broadly upright heads to about 20' tall by 15' wide; locate in full sun or full shade & well-drained moisture retentive neutral or acidic soil; US native (Yanny) Zones 3 - 9</i>		5 - 6'	2g	
Catalpa speciosa Northern Catalpa <i>DECIDUOUS SHADE TREE; 2" white flowers in large upright panicles in late May or early June; long narrow brown seed pods in fall; heart-shaped green summer foliage turns yellowish-green in fall; rapid growing upright habit to about 60' tall by 40' wide or more; locate in sun or partial shade & just about any soil with reasonable drainage; native to central US; Zones 4 - 8 (9)</i>		2 - 2.5"c 2.5 - 3"c 3 - 3.5"c 3.5 - 4"c 4 - 5.5"c	B&B B&B B&B B&B B&B	N
Ceanothus Lemon Ice Variegated California Lilac <i>EVERGREEN FLOWERING SHRUB; clusters of tiny fragrant medium blue flowers from late spring into summer; dark green summer foliage with gold margins; bushy upright habit to about 4' tall by 3' wide; tolerates drought; deep nitrogen fixing roots are good for erosion control; locate in full sun & most well-drained soils (Hoogenrad) Zones 6 - 10</i>		18 - 21"	2g	
Celtis occidentalis Common Hackberry <i>DECIDUOUS SHADE TREE; pyramidal headed shade tree growing to 50' tall and about as wide; yellow fall foliage; tolerant of urban conditions, some salt exposure & most pests; drought tolerant; locate in full sun & just about any soil that isn't wet for extended periods; native to US & Canada; Zones 3 - 7 (8)</i>		5 - 6' 2 - 2.5"c 2.5 - 3"c	3g B&B B&B	N
Cephalotaxus harringtonia 'Drupacea' <i>see: Cephalotaxus harringtonia var. drupacea</i>				
Cephalotaxus harringtonia 'Duke Gardens' Spreading Plum Yew <i>EVERGREEN CONIFER; medium to dark green needles; fairly slow growing compact spreading mound, getting about as wide as high; resists deer browse; locate in full sun to moderate shade & any soil with reasonable drainage; PHS Gold Metal winner; Asian native; Zones 6 - 8 (9)</i>		15 - 18" spr 30 - 36" spr	7g B&B	N
Cephalotaxus harringtonia 'Fastigiata' Fastigiate Plum Yew <i>EVERGREEN CONIFER; narrow upright when young; gets much wider at maturity; new yellowish spring foliage turns dark green when mature; slow grower; resistant to deer browse; locate in full sun to moderate shade & most soils with reasonable drainage; Asian native; Zones 6 - 9</i>		30 - 36"	B&B	
Cephalotaxus harringtonia var. drupacea Spreading Plum Yew <i>EVERGREEN CONIFER; a variable variety in many aspects from habit to foliage size; some plants are decidedly upright while others are prominently spreading; most needles are or approach 2" long; they take quite a bit of heat; slow grower; more growth in partial to full shade; most plants in the trade are slightly wider than tall and make great hedges; resistant to deer browse; locate in full sun to moderate shade & most well-drained soils; Asian native; Zones (5) 6 - 9</i>		30 - 36" spr	B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Cercis canadensis Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	BUSH Spring Spring Spring	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Cercis canadensis Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	TREE FORM Spring Spring Spring	2 - 2.5' 2.5 - 3' 3 - 3.5'	B&B B&B B&B	_____ _____ _____	
Cercis canadensis Carolina Sweetheart™ (NCCC1) Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright pink & soon add green & white before maturing to mostly green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Star) Zones 4 - 9</i>	Spring	2"	B&B	_____	N
Cercis canadensis 'Merlot' Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet soil; parentage makes it more heat & drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i>	Spring Spring	2" 2.5 - 3"	B&B B&B	_____ _____	N N
Cercis canadensis 'Pink Heartbreaker' Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; broadly weeping habit; height is determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Eaton) Zones 4 - 9</i>	Spring Spring	2 - 2.5' 2.5 - 3"	B&B B&B	_____ _____	
Chamaecyparis nootkatensis 'Pendula' Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader; appears to be several forms with branches arching out & downward from the trunk or weeping from horizontal secondary branches; irregular pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade & deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>		7 - 8'	B&B	_____	N
Chamaecyparis obtusa Hinoki Cypress; Hinoki Falsecypress <i>EVERGREEN CONIFER; dark rich green foliage; variable upright habit to about 12" tall by 6' wide in 10 years; can be open when young if not sheared; timber tree in Japan; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		8 - 10' hvy 10 - 12' hvy 12 - 14' hvy	B&B B&B B&B	_____ _____ _____	N N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Chamaecyparis obtusa 'Compacta' Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		36 - 42"	B&B	_____	
Chamaecyparis obtusa 'Crippsii' Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden lacy foliage; best gold for the East Coast but burns on the West Coast; will be mostly green in shade; vigorous pyramidal habit to about 10' tall by 4' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Spring Spring	6 - 7' 7 - 8'	B&B B&B	_____ _____	N
Chamaecyparis obtusa 'Filicoides' Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; flat dark green fish bone-like foliage; open pyramidal habit with central leader to about 8' tall by 5' wide in 10 years; will be loosely pyramidal without shearing; with shearing can be spectacular; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B	_____ _____ _____ _____	
Chamaecyparis obtusa 'Gracilis' Slender Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; bushy upright habit to about 6' tall by 2' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Spring	6 - 7'	B&B	_____	
Chamaecyparis obtusa 'Gracilis Compacta' <i>see: Chamaecyparis obtusa 'Compacta'</i>				_____	
Chamaecyparis obtusa 'Kosteri Fast Form' Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium green horizontal foliage with lighter green or yellow highlights with some orange stems; it's a faster more upright habit to about 4' tall by 3' wide in 10 years; similar foliage to C. o. 'Kosteri'; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		6 - 7' 10 - 12' hvy	B&B B&B	_____ _____	N
Chamaecyparis obtusa 'Magnifica' Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; new spring growth has a golden cast which turns medium to dark green by summer; moderate bushy to pyramidal upright habit; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>		6 - 7'	B&B	_____	
Chamaecyparis obtusa 'Nana Gracilis' Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark bright green foliage is mostly vertical; irregular broadly upright habit to about 2' tall & wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		30 - 36" 36 - 42"	B&B B&B	_____ _____	
Chamaecyparis obtusa 'Split Rock' Blue Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; juvenile foliage is steel-blue & mature foliage is more blue-green; broadly upright compact habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		30 - 36" 36 - 42" 42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Chamaecyparis obtusa 'Tetragona Aurea' Golden Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold fern-like foliage with a 3rd midrib on some branches (unlike 'Fernspray Gold' which are flat); broadly irregular pyramidal habit to about 5' tall by 3' wide; afternoon shade often prevents or reduces sunburn but too much makes them green; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (Barron N) Zones 5 - 8</i>		10 - 12'	B&B	
Chamaecyparis obtusa 'Torulosa' Twisted Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; spreading mound; orange bark on new stems; narrow twisting foliage with variable amounts of cocks-combs; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>		36 - 42"	B&B	N
Chamaecyparis obtusa 'Well's Special' Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage; vigorous upright pyramidal habit with unique horizontal branching to about 8' tall by 5' wide in 10 years; can be quite open without pruning; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (Wells N) Zones 5 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
Chamaecyparis pisifera 'Filifera' Green Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green pendulous thread-like foliage; broadly pyramidal arching to weeping habit to about 5' tall & wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		42 - 48"	B&B	N
Chamaecyparis pisifera 'Golden Mop' Bright Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage that gets a darker gold in winter; can take some shade but will be less gold; compact broadly mounding habit to about 2' tall & slightly wider in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		15 - 18" spr	7g	N
Chamaecyparis thyoides Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; green to blue-green spring & summer foliage turns variable purplish in winter; bluish fruit in fall; variable upright habit to about 40' tall by 15' wide in time; locate in full sun & moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>		6 - 7' 7 - 8' 10 - 12'	B&B B&B B&B	
Chamaecyparis thyoides glauca Blue Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; lacey light blue somewhat pendulous foliage; upright somewhat pendulous form; locate in full sun & moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	N N
Chionanthus virginicus White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall & wide; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade & any well drained soil; native to eastern US; Zones 4 - 9</i>	BUSH	5 - 6'	B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Chionanthus virginicus TREE FORM White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall & wide; these plants are trained with a single trunk to about 3' or more; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade & any well drained soil; native to eastern US; Zones 4 - 9</i>		1.75 - 2" c	B&B	
Cladrastis kentukea American Yellowwood <i>DECIDUOUS SHADE TREE; upright habit to 50' or more with a broader spread when mature; fragrant white panicles in late May that bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; locate in full sun & well-drained soil of any pH; PHS Gold Metal; US native (formerly C. lutea) Zones (3) 4 - 8</i>		2 - 2.5" c	B&B	
Clethra alnifolia 'Hummingbird' Compact Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial shade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>		18 - 24"	5g	
Clethra alnifolia 'Ruby Spice' Pink Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant non-fading pink flower in July; yellow fall foliage; locate in full sun to partial shade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>		24 - 30"	5g	
Cornus florida 'Appalachian Snow' BRANCHED @ 3-4' White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse large overlapping white bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall & wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		2" c	B&B	
Cornus florida 'Appalachian Snow' LOW BRANCHED White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse large overlapping white bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall & wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	N
Cornus florida Cherokee Braveâ„¢ ('Comco No. 1') BRANCHED @ 3-4' Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall & wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>		1.75 - 2" c	B&B	N
Cornus florida Cherokee Braveâ„¢ ('Comco No. 1') LOW BRANCHED Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall & wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Cornus florida 'Cherokee Chief' <p style="text-align: right;">BRANCHED @ 3-4'</p> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall & wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>		1.75 - 2"c	B&B	_____	N
Cornus florida 'Cherokee Chief' <p style="text-align: right;">LOW BRANCHED</p> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall & wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>		6 - 7'	B&B	_____	N
Cornus kousa <p style="text-align: right;">BRANCHED @ 3-4'</p> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray & tan exfoliating bark; short single trunk; tan & gray exfoliating bark; vase shaped when young becomes as high & wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>		2"c	B&B	_____	N
Cornus kousa <p style="text-align: right;">BUSH</p> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray & tan exfoliating bark; vase shaped when young becomes as high & wide at maturity - about 25'; multiple branches from the ground up; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	
Cornus kousa 'Elizabeth Lustgarten' Weeping Kousa Dogwood; Weeping Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse upright white bracts in late May; red ball-like fruit in summer; broadly weeping habit; height & width will vary with staking but often gets about 15' tall & wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		6 - 7'	B&B	_____	N
Cornus kousa 'Milky Way' <p style="text-align: right;">BRANCHED @ 3-4'</p> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; dark green summer foliage turns reddish-orange in fall; mottled gray & tan exfoliating bark; more horizontal & tree-form than the species to about 20' tall by 25 wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		2"c	B&B	_____	
Cornus kousa 'Summer Fun' Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red & orange with pink margins; mottled gray & tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		2"c	B&B	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Cornus Scarlet Fire® ('Rutpink') BRANCHED @ 3-4' Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse narrowish dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer & turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose & borers; locate in full sun to partial shade & good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>		1.75 - 2" c 2 - 2.5" c	B&B B&B	_____	N
Cornus x Stellar Pink ('Rutgan') LOW BRANCHED Pink Rutgers Hybrid Dogwood; Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall & wide; resistant to anthracnose & borers; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>		6 - 7' 7 - 8'	B&B B&B	_____	N
Cornus x Stellar Pink ('Rutgan') TREE FORM Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall & wide; resistant to anthracnose & borers; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>		2" c	B&B	_____	N
Corylopsis pauciflora Buttercup Winterhazel <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant drooping soft yellow flowers are twice the size of most & are effective from late March into early May before the foliage; new foliage emerges with a red edge before turning green in summer & golden yellow in fall when given some shade; broadly upright habit to about 6' tall & wide; locate in light to moderate shade & moist well-drained acidic to neutral soils; Japanese native; Zones 6 - 8</i>		15 - 18"	7g	_____	
Corylus avellana 'Raritan' Hazelnut; Filbert <i>DECIDUOUS NUT TREE; fairly showy greenish-yellow male flowers; female flowers are inconspicuous; both bloom in late winter; nuts mature in early fall & usually drop to the ground when ripe; increased nut production with pollinator; green summer foliage turns shades of yellow in fall; bushy upright habit to about 20' tall by 15' wide; pollen attracts bees; male & female nuts attract many animals; increased disease resistance; locate in full to partial sun & rich organic moisture retentive well-drained neutral to alkaline soil that doesn't dry out; native to Europe & W. Asia; Zones 5 - 8</i>		3 - 4'	10g	_____	N
Corylus colurna Turkish Filbert <i>ORNAMENTAL TREE; small statured columnar habit to 40' tall by 15' wide; good for urban situations; drought tolerant once established; locate in full sun & any well-drained organic soil; native to southeast Europe & western Asia; Zones 4 - 7</i>		4 - 5' stk 3 - 3.5" c 3.5 - 4" c	2g B&B B&B	_____	N
Corylus x The Beastâ„¢ ('OSU-541.147') Hybrid Hazelnut; Hybrid Filbert <i>DECIDUOUS NUT TREE; male & female flowers; nuts prized by people & wildlife; Grand Traverse or other variety is needed for nut production; bushy habit to about 20' tall by 15' wide with some trimming; highly resistant to Eastern Filbert Blight; locate in full sun & rich organic moisture retentive soil with adequate drainage; European / American hybrid [C. avellana x C. americana] (OR St U) Zones (4) 5 - 8</i>		4 - 5'	10g	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Cotinus coggygia 'Royal Purple' Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on new wood come masses of puffy purplish-pink hairs in early summer giving a smoky appearance; purple spring & summer foliage lightens to reddish-purple in fall; broadly upright to 12' by 12'; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; drought resistant; native to southern Europe & Asia; Zones (4) 5 - 8</i>		24 - 30"	10g	_____	N
Crataegus viridis 'Winter King' Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun & any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>		2" c	B&B	_____	
Cryptomeria japonica 'Black Dragon' Dwarf Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; light green new growth matures to a very dark green; slow upright to irregular pyramidal habit to about 5' tall by 2-3' wide in 10 years; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade & moisture retentive well-drained acidic soil; native to China & Japan (Iseli) Zones (5) 6 - 8</i>		4 - 5' 8 - 10'	B&B B&B	_____ _____	N N
Cryptomeria japonica 'Radicans' Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; darker green to more gray-green foliage than 'Yoshino'; pyramidal habit to about 15' tall by 5' wide in 10 years; good for screening or specimen use; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade & moisture retentive well-drained acidic soil; native to China & Japan; Zones (5) 6 - 8</i>	Spring	7 - 8'	B&B	_____	
Cryptomeria japonica 'Sekkan' / 'Sekkan sugi' Golden Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright golden spring foliage that's retained through summer; columnar to narrowly pyramidal habit to about 15' tall by 4' wide in 10 years; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade & moisture retentive well-drained acidic soil; native to China & Japan (Hillside N) Zones (5) 6 - 8</i>		10 - 12'	B&B	_____	N
Cryptomeria japonica 'Yoshino' Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright green spring & summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade & moisture retentive well-drained acidic soil; PHS Gold Metal; native to China & Japan; Zones (5) 6 - 8</i>	Spring Spring	7 - 8' 8 - 10'	B&B B&B	_____ _____	N N
Cupressocyparis leylandii <i>see: Cupressus leylandii</i>				_____	
Cupressus leylandii Emerald Isle ('Moncal') Compact Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage all year; compact pyramidal habit to about 30' tall by 10' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Monrovia) Zones 5 - 9</i>		7 - 8' 8 - 10' 10 - 12' 12 - 14' 14 - 16' 18 - 20'	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	N N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Deutzia gracilis 'Nikko' Dwarf Deutzia <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant bell-shaped white flowers in May for up to 2 weeks; low spreading habit to about 2' tall by 4' wide; blue-green summer foliage turns dark red in fall; locate in full sun to light shade & any moisture retentive well-drained soil; Japanese native; PHS Gold Metal; Zones 4 - 8</i>		12 - 15" spr	5g	_____	
Deutzia x rosea 'Nikko Blush' Pink Hybrid Deutzia <i>DECIDUOUS FLOWERING SHRUB; pink buds open to medium pink flowers with lighter edges in mid-May; narrow medium green summer foliage turns burgundy in fall; spreading mound to 3' tall by 4'+ wide in 5 years; locate in full sun to light shade & any moist well-drained soil [D. gracilis 'Nikko' x D. x rosea 'Carminea'] (Dix / USNA) Zones (5) 6 - 7</i>		12 - 15"	5g	_____	
Diospyros virginiana Persimmon <i>DECIDUOUS FRUIT TREE; fragrant white to greenish-yellow male & female flowers on the same plants in late spring; persistent orange to reddish-purple fruit in fall; glossy green summer foliage turns yellowish in fall; upright grower to about 50' tall by 30' wide - although varies widely with location; locate in full sun or partial sunny locations & most soil types with reasonable drainage; eastern US native; Zones 4 - 9</i>		4 - 5'	2g	_____	N
Eucommia ulmoides Hardy Rubber Tree <i>DECIDUOUS SHADE TREE; broadly upright habit to 50' tall & wide; very tolerant of a wide range of soils; very limited pest problems, although stem die-back has been noticed in some locations; locate in full sun & any soil that drains; quite drought tolerant; native to China; Zones (4) 5 - 7</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5"	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	
Fagus grandifolia <p style="text-align: right;">LOW BRANCHED HEDGE</p> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall & wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>		2 - 2.5"	B&B	_____	N
Fagus grandifolia <p style="text-align: right;">TREE FORM</p> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall & wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>		2 - 2.5" 2.5 - 3" 4.5 - 5"	B&B B&B B&B	_____ _____ _____	N
Fagus sylvatica <p style="text-align: right;">LOW BRANCHED HEDGE</p> European Beech <i>DECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually retained for much of the winter; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones (4) 5 - 7</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Fagus sylvatica 'Dawyck Purple' Fartigiate Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; purple spring & summer foliage turns coppery-tan in fall; smooth medium gray bark; very narrow profile to about 60' tall by 15' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; selected seedling from Trompenburg Arboretum; European native (van Hoey Smith) Zones 4 - 7</i>		6 - 7' 7 - 8' 8 - 10' 5 - 6" c	B&B B&B B&B B&B	_____ _____ _____ _____	N N N
Fagus sylvatica 'Pendula' Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; bright green summer foliage turns coppery in fall; rapid broadly upright habit that makes unique interesting irregular pyramids to about 50' tall & usually wider at the base; no two are alike; smooth medium gray bark; branching starts at or near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	
Fagus sylvatica 'Purple Fountain' Purple Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage loses intensity in summer; upright pyramidal habit that usually has a dominant single leader; some narrowly irregular pyramids & others broader at the base; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native (Grootendorst) Zones 4 - 7</i>		2 - 2.5" c 2.5 - 3" c	B&B B&B	_____ _____	
Fagus sylvatica 'Purpurea Pendula' Weeping Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; purple foliage all summer; compact wide-spreading habit to about 10' or more tall & usually quite a bit wider; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		4 - 4.5" c 4.5 - 5" c 6 - 7" c	B&B B&B B&B	_____ _____ _____	N N N
Fagus sylvatica 'Riversii' Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage turns greenish-purple by mid summer; upright somewhat open habit when young matures to about 50' tall by 40' wide when mature; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		2 - 2.5" c	B&B	_____	
Fothergilla major 'Mount Airy' Large Fothergilla <i>DECIDUOUS FLOWERING SHRUB; large fragrant white flower in May; orange-red fall foliage; locate in full sun to 1/2 shade & well-drained acidic soil; US native; Zones (4) 5 - 7</i>		18 - 21"	5g	_____	
Franklinia altamaha Franklin Tree; Franklinia <i>DECIDUOUS ORNAMENTAL TREE; bushy upright habit to 20'; fragrant 3" diameter white flowers with prominent golden stamens from late July into August; glossy dark green summer foliage turns mostly shades of bright red and orange in the late fall; somewhat sparse root system make transplanting tricky; locate in moist, acidic, well-drained soil and full sun or light shade; Zones 5 - 8</i>	BUSH	7 - 8'	B&B	_____	

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Ginkgo biloba 'Magyar' Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; narrow pyramidal habit to 50' and half as wide; bright yellow fall foliage; highly resistant to pests & diseases; locate in full sun & any soil that drains; very tolerant of urban & coastal conditions; Chinese native; Zones 4 - 8 (9)</i>		2 - 2.5'c	B&B	_____	
Gleditsia triacanthos f. inermis Skyline ('Skycole') Thornless Honeylocust <i>DECIDUOUS SHADE TREE; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; virtually seedless; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction & salt; locate in full sun & moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____	
Gymnocladus dioicus Decaf® ('McK Branched') Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; insignificant greenish-white flower; male cultivar; seedless; new large doubly compound foliage emerges with a caramel color for a brief time before turning blue-green in summer then non-descript yellow in fall; upright arching habit is more twiggy yielding fuller heads to about 50' tall by 40' wide; open structure in winter but more uniform than the species; tolerates high pH, drought & urban conditions; locate in full sun & moist organic soil; US native; Zones 4 - 8</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____	N
Gymnocladus dioicus Espresso,☿ ('Espresso-JFS') Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; seedless; large doubly compound blue-green summer foliage turns yellow in fall; upright arching habit to about 50' tall by 35' wide; dramatic open structure in winter with each tree looking different; tolerates high pH, drought & urban conditions; locate in full sun & moist organic soil; US native (Schmidt) Zones 4 - 8</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____	N
Hamamelis x intermedia 'Angelly' Yellow Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant soft yellow flowers in late February and March; yellow fall foliage; vigorous upright habit that spreads when mature at about 15' or so; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____	N
Hamamelis x intermedia 'Diane' Red Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February & early March; fall foliage can be a mix of yellow, orange & red; broad spreading habit to about 10' tall by 12' wide; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____	N
Hamamelis x intermedia 'Primavera' Yellow Intermediate Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very floriferous fragrant soft yellow flowers from late January into February; bright green summer foliage turns shades of yellow & orange in fall; broadly upright habit to about 12' tall & wide; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____	N
Hamamelis virginiana 'Harvest Moon' Common Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very fragrant profuse strap-like lemon-yellow flowers in late fall after most of the leaves have dropped; new foliage opens coppery before maturing to dark green; upright spreading habit to 20' or more; fall foliage turns shades of yellow before turning brown; some foliage may remain through winter but less than the species; tolerant of deer browse, salt & clay soils; locate in full sun to partial shade & moist well-drained neutral to acidic soil; US native (Jaynes) Zones (3) 4 - 8</i>		4 - 5' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	_____ _____ _____ _____	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Hydrangea paniculata 'Limelight' <p style="text-align: right;">TREE FORM</p> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		2" c / 6-7'	B&B	_____	N
Hydrangea paniculata 'Phantom' <p style="text-align: right;">BUSH</p> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>		5 - 6'	B&B	_____	N
Hydrangea quercifolia 'Pee Wee' Dwarf Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June & July on old wood; burgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 6' wide even in full shade; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; Zones 5 - 9</i>		18 - 24"	10g	_____	
Hydrangea quercifolia Snow Queen® ('Flemygea') Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall & wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>		24 - 30"	10g	_____	N
Ilex x altaclerensis 'James G. Esson' Altaclera Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit from early to mid-fall; glossy spiny dark green foliage on purple stems resists deer browse; locate in full sun to partial shade & well-drained acidic organic soil; Zones (6) 7 - 8</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____	N
Ilex x aquipernyi Dragon Lady ('Meschick') Pyramidal Holly <i>EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; somewhat self-fruitful; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Zones 6 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Ilex 'Centennial Girl' Hybrid Pyramidal Holly <i>EVERGREEN TREE; persistent red fruit from fall through winter when near male pollinator (I. aquifolium or I. meserveae work); narrow upright pyramid to about 15' tall by 8' wide; mite resistant; dark glossy green foliage with spiny edges; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. centrochinensis x I. aquifolium] (C-P) Zones (5) 6 - 9</i>		5 - 6'	B&B	_____	N
Ilex x 'Coronet' Pyramidal Hybrid Holly <i>EVERGREEN TREE; compact columnar habit to 10'; red fruit without a pollinator; narrow spiny dark green foliage with excellent retention in winter; locate in full sun to partial shade & neutral to acidic well-drained organic soil (USNA) Zones (6) 7 - 9</i>		4 - 5' 5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Ilex crenata 'Schwoebel Upright' Upright Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; glossy flat green leaf all year; narrowly pyramidal habit to about 8' tall by 4' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native ['Convesa' x 'Microphylla'] Zones (5) 6 - 7 (8)</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____	N N
Ilex x meserveae Blue Girl Female Blue Holly; Female Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; red fruit; hardiest female in Kansas tests; broadly upright; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Zones 5 - 9</i>		42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B	_____ _____ _____	
Ilex x meserveae Blue Maid ('Mesid') Upright Female Blue Holly; Upright Female Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; upright columnar habit to 15'; red fruit; excellent hedge or specimen plant; sheared for hedging; locate in full sun to partial shade & neutral to acidic well-drained organic soil; PHS Gold Metal; Zones 5 - 8</i>		42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B	_____ _____ _____	
Ilex x 'Nellie R. Stevens' Pyramidal Hybrid Holly <i>EVERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat self-fruitful; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. aquifolium x I. cornuta] Zones 6 - 9</i>		6 - 7' 7 - 8' 10 - 12'	B&B B&B B&B	_____ _____ _____	
Ilex opaca 'Arlene Leach' American Holly <i>EVERGREEN TREE; spiny deer browse & disease resistant green foliage; compact pyramidal habit; persistent orange-red fruit; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (6) 7 - 9</i>		6 - 7'	B&B	_____	
Ilex opaca 'Dan Fenton' American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October & persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	
Ilex opaca 'Dan Fenton' B-GRADE American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October & persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12' 12 - 14'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	N N N N N
Ilex opaca 'Hedge Holly' B-GRADE American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October & persist into or through winter; small dark olive-green foliage that's much smaller than average; broad bushy pyramidal habit to about 20' tall by 10' wide; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		8 - 10' 10 - 12'	B&B B&B	_____ _____	N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Ilex opaca 'Jersey Princess' American Holly <i>EVERGREEN TREE; very dark, glossy, spiny green foliage; profuse bright red fruit; deer browse resistant; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native (Orton) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____ _____	N
Ilex opaca ~ male American Holly <i>EVERGREEN TREE; medium to dark spiny green foliage that's resistant to deer browse; slow to moderate grower; pollinator for all female American Hollies; locate in full sun to partial shade & neutral to acidic well-drained organic soil; rooted cutting of unnamed male; northeastern US native; Zones 5 - 9</i>		5 - 6' 6 - 7' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Ilex opaca 'Old Heavy Berry' American Holly <i>EVERGREEN TREE; dark, spiny green foliage; large, profuse, bright red fruit; deer browse resistant; vigorous grower; considered one of the best cultivars; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	N
Ilex opaca 'Portia Orton' American Holly <i>EVERGREEN TREE; excellent green foliage; bright red fruit; introduced by E. Orton of Rutgers U. and named for his wife; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	N
Ilex opaca 'Saytr Hill' American Holly <i>EVERGREEN TREE; dark olive-green foliage; bright red fruit from fall into winter; deer browse resistant; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		6 - 7'	B&B	_____	
Ilex opaca var. xanthocarpa Golden American Holly <i>EVERGREEN TREE; medium green spiny green foliage; yellow fruit; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	N
Ilex pedunculosa ~ female Longstalk Holly <i>EVERGREEN SHRUB; medium green foliage; bright red rounded drupe in October; upright bushy habit to 15' or more; broadens with age; not heat tolerant; deer browse resistant; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native; Zones 5 - 6 (7)</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____	N
Ilex x Red Beauty ('Rutzan') Compact Pyramidal Hybrid Holly <i>EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in 10 years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit production; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade & well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>		4 - 5'	B&B	_____	
Ilex verticillata 'Red Sprite' Dwarf Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; persistent profuse bright red fruit from early fall into or through winter; use 'Jim Dandy' & 'Apollo' to pollinate; compact bushy habit to about 4' high & wide; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US & Canada; Zones 3 - 9</i>		30 - 36"	15g	_____	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ilex x Winter Bounty ('H635-13') Hybrid Upright Holly <i>EVERGREEN SHRUB; insignificant flowers lead to masses of bright red berries in late fall with a male pollinator nearby (I. meserveae will pollinate); long smooth dark glossy green foliage; upright habit to 14' tall by 6' wide; reported deer browse resistance; locate in full sun or partial shade & most neutral to acidic well-drained soils [I. ciliospinosa & I. latifolia] (Orton / Manor View) Zones 6 - 8</i>		5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	_____ _____ _____ _____
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually light blue & male cones tannish; gray-blue scale-like needles; compact pyramidal habit to about 5' tall by 3' wide in 10 years; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 4 - 9</i>		6 - 7'	B&B	_____
Juniperus chinensis 'Hetzi Columnaris' / 'Fairview' Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal habit to 25'; somewhat loose branching; prominent light blue fruit; mature green and bluish juvenile foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		7 - 8' 8 - 10'	B&B B&B	_____ _____
Juniperus chinensis 'Iowa' Fastigiate Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; fairly slow growing columnar evergreen with gray-green needles; matures about 15' tall by 10' wide; showy silvery-blue fruit in fall; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 3 - 9</i>		6 - 7'	B&B	_____
Juniperus chinensis 'Keteleeri' Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; broadly pyramidal habit to 15'; medium evergreen scale-like foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>		7 - 8' 8 - 10'	B&B B&B	_____ _____
Juniperus chinensis 'Robusta Green' Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to 15' or more tall with blue-green foliage; with varies with shearing; salt tolerant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____
Juniperus chinensis 'Torulosa' / 'Kaizuka' Hollywood Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright evergreen foliage; irregular upright habit to 30'; heat & salt tolerant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones (5) 6 - 9</i>		5 - 6'	B&B	_____
Juniperus virginiana Eastern Red Cedar <i>EVERGREEN CONIFER; variably columnar to pyramid habit reaching about 40' tall by 15-25' wide; medium green summer foliage bronzes in winter; tolerant of drought, air pollution, sterile soil & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern North & Central America; Zones (3) 4 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____ N
Juniperus virginiana 'Hillspire' Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; conical pyramid with bright green foliage through the winter; dark green summer foliage shows almost no bronzing in winter; formerly named 'Cupressifolia'; tolerant of drought, air pollution, sterile soil & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern North & Central America (D. Hill N) Zones (3) 4 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____ N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Koelreuteria paniculata Golden Raintree <i>DECIDUOUS ORNAMENTAL TREE; golden yellow flowers in mid July; sparse irregular branching; compound leaves make the tree look full when in leaf; irregular yellow to orange fall foliage; locate in full sun & any well-drained soil that is moisture retentive; tolerates most urban conditions; Zones 4 - 8</i>		2 - 2.5'c 3 - 3.5'c 4 - 4.5'c	B&B B&B B&B	_____ _____ _____	N N
Ligustrum ovalifolium California Privet <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June & early July; glossy semi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall & wide, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't remain wet; fairly tolerant of coastal conditions & salt spray; Japanese native; Zones (4) 5 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Lindera benzoin Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; bright green leaves are lighter on the bottom and turn golden yellow in fall; small tree or large shrub to 15' tall & wide; locate in full sun or shade & organic well-drained moisture retentive acidic soils; native to eastern US along waterways or bottom lands; Zones 4 - 9</i>		15 - 18"	2g	_____	
Lindera glauca var. salicifolia Asian Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges in mid to late March; fruit appears on female plants in fall as a black 1/2" drupe that's favored by birds; semi-evergreen narrow willow-like blue-green summer foliage turns brilliant shades of red, purple or orange in fall then persist as pinkish-tan through winter; small tree or large shrub to about 10' tall by 6' wide; locate in full sun to partial shade & organic well-drained moisture retentive acidic soils; Asian native; Zones 5 - 8</i>		18 - 24"	7g	_____	
Liquidambar styraciflua American Sweetgum <i>DECIDUOUS SHADE TREE; distinct pyramidal habit in youth evolves to a more rounded form when mature at 70' tall by 50' wide; dark glossy green summer foliage turns variable shades of burgundy, red, yellow & deep purple in fall; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico; Zones 5 - 9</i>		6 - 8'	2g	_____	N
Liquidambar styraciflua Jubillee® (‘Happidaze’) Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; rapid growing pyramid when young to 45' tall; seedless cultivar; dark green summer foliage turns maroon in the fall; locate in full sun & moist to partially wet organic soils; tolerant of compacted urban soils; native to eastern of US & Mexico; Zones (5) 6 - 9</i>		2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 3.5 - 4'c	B&B B&B B&B B&B	_____ _____ _____ _____	N
Liriodendron tulipifera Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; rapid narrow upright habit to 100' or more; somewhat weak wooded; light orange-green flowers in early June; green summer foliage turns variable yellow in fall; locate in full sun or light shade & deep organic soil that retains moisture & is somewhat acidic; US native; Zones 4 - 9</i>		2 - 2.5'c	B&B	_____	N
Maackia amurensis Amur Maackia <i>DECIDUOUS ORNAMENTAL TREE; 4 - 6" white racemes in July; coppery bark exfoliates with age; grows to about 25' tall with similar or wider spread; few pests; drought resistant; dark green summer foliage turns brown in fall; locate in full sun & acidic or alkaline well-drained soil; PHS Gold Metal; Asian native; Zones (3) 4 - 7 (8)</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Magnolia x acuminata 'Butterflies' BUSH Yellow Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens; rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8</i>		6 - 7'	B&B	_____	N
Magnolia x brooklynensis 'Lois' Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade & moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>		6 - 7'	B&B	_____	N
Magnolia glauca <i>see: Magnolia virginiana</i>				_____	
Magnolia grandiflora 'Bracken's Brown Beauty' Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>		7 - 8'	B&B	_____	
Magnolia x 'Judy Zuk' Yellow Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright yellow sterile flower with some purple at the base in early April as the new foliage emerges & are subject to damage by late freezes; large green summer leaves turn coppery-bronze in fall; upright habit up to about 30' tall by 10' wide in 10 or more years; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. liliiflora x M. stellata] (BBG) Zones (4) 5 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	N N
Magnolia x liliiflora 'Ann' USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to lightly fragrant deep purple-red flowers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to 10' high & wide; smooth gray bark; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Nigra' x stellata 'Rosea'] (Kosar & deVos / USNA) Zones (3) 4 - 8</i>		15 - 18" 5 - 6' 6 - 7'	3g B&B B&B	_____ _____ _____	
Magnolia x liliiflora 'Jane' USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar & deVos / USNA) Zones 3 - 8</i>		6 - 7'	B&B	_____	N
Magnolia x soulangeana Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; flowers are whitish inside & dark pink outside in early April before the foliage; broadly upright habit to 30' tall & wider with age; locate in full sun to light or dappled shade & deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>		15 - 18"	3g	_____	N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Magnolia stellata 'Royal Star' Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage; broad bushy habit to about 15' tall & usually wider; locate in full sun to light or dappled shade & deep well-drained acidic soil with good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8</i>		15 - 18" 5 - 6' 6 - 7'	3g B&B B&B	_____ _____ _____	N
Magnolia virginiana Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	BUSH	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Malus domestica 'Gala' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>		1.75 - 2" c	B&B	_____	N
Malus domestica 'Granny Smith' Fruiting Apple <i>DECIDUOUS FRUIT TREE; light pink to white flowers in May; green fruit in late summer; grows to about 20' tall and wide; attracts hummingbirds & butterflies; used mostly for baking & sauces; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; chance seedling from Australia that might be M. pumila x M. sylvestris; native to western Asia; Zones 3 - 8</i>		1.75 - 2" c	B&B	_____	N
Malus domestica 'McIntosh' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; sweet red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; will not cross-pollinate with 'Macoun'; native to western Asia; Zones 4 - 6</i>		2" c	B&B	_____	N
Malus domestica 'Red Delicious' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia; Zones 5 - 8</i>		1.75 - 2" c	B&B	_____	N
Malus domestica Red Fuji ('Nagafu 6') Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early height varies with root-stock but tends to be about 15' high & wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 5 - 8</i>		2" c	B&B	_____	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Malus domestica 'Yellow Delicious' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful; native to western Asia; Zones 4 - 8</i>		2 - 2.5'c	B&B	_____	N
Metasequoia glyptostroboides Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching usually starts about 4-5' above the ground unless specified otherwise; tolerates somewhat wet soils; locate in full sun & moisture retentive neutral to acidic organic soil, tolerant of a wider range soil types except highly alkaline; PHS Gold Metal; Chinese native; Zones 5 - 8</i>		8 - 10' 10 - 12'	B&B B&B	_____ _____	
BRANCHED AT 2.5'					
Morrella pensylvanica <i>see: Myrica pensylvanica</i>				_____	
Myrica pensylvanica Northern Bayberry <i>EVERGREEN ORNAMENTAL SHRUB; non-ornamental male or female flowers in early spring; female plants have profuse amounts of grayish-white fruit; bushy suckering habit to 10' tall & wide; very useful in coastal landscapes for its extreme salt tolerance; can be semi-evergreen to evergreen in southern hardiness range; fruit used to make candles, etc.; resists deer browse; locate in full to partial sun & just about any soil; performs very well in sterile sandy soils with high salinity; Genus recently renamed Morella; eastern US native; Zones 3 - 7</i>		24 - 30"	7g	_____	
Nyssa sylvatica Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns brilliant shades of red, orange &/or yellow in fall; young distinctly pyramidal plants mature upright or wide-spreading at maturity reaching 50' tall by 30' wide; taproot; fall transplanting hazard; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; US native; Zones 4 - 9</i>		2.5 - 3'c 3 - 3.5'c 3.5 - 4'c 4 - 4.5'c	B&B B&B B&B B&B	_____ _____ _____ _____	N
Nyssa sylvatica Green Gableâ„¢ ('NSUHH') Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-red to dark red in fall; dense upright pyramidal heads to about 50' tall & half as wide; superior resistance to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Zones 5 - 9</i>		2 - 2.5'c	B&B	_____	N
Osmanthus heterophyllus 'Gulftide' Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>	Spring	4 - 5'	B&B	_____	
Ostrya virginiana American Hop Hornbeam; American Ironwood <i>SHADE TREE; bright dark green summer foliage turns yellowish in fall; fall transplanting hazard; locate in full sun to partial shade; tolerates a wide soil range if acidic and drains well; drought tolerant; native to eastern & central North America; Zones 4 - 9</i>		2 - 2.5'c	B&B	_____	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Oxydendrum arboreum Sourwood <i>ORNAMENTAL TREE; creamy cascading flower panicles in August; pendulous light green seed capsules contrast against the brilliant red fall foliage which appear at the same time; variable narrow upright grower to 35' or more; locate in full sun to partial shade & deep organic well-drained acidic soils; withstands limited drought; not for urban areas; Zones (4) 5 - 9</i>		5 - 6' 6-7' / 1"c	2g B&B	_____	N
Parrotia persica Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring; individually they aren't significant, however in mass they help welcome spring; emerging spring foliage is glossy green with a maroon margin; glossy green summer foliage turns shades of red, orange and gold in fall & is persistent; exfoliating bark appears on thicker branches; grows to 30' or more tall & wide; locate in full sun or partial shade and most well-drained soils; PHS Gold Metal; native of Asia Minor; Zones (4) 5 - 8</i>	TREE FORM	2"c 2.5 - 3"c 3 - 3.5"c 3.5 - 4"c	B&B B&B B&B B&B	_____ _____ _____ _____	N
Phellodendron lavalley Eye Stopper ('Longenecker') Lavalley Cork Tree <i>DECIDUOUS SHADE TREE; compound dark green summer foliage turns brilliant yellow in fall; usually seedless; young upright plants become wide-spreading at maturity reaching about 40' tall by 35' wide; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; native of Asia; Zones 4 - 7</i>		2 - 2.5"c	B&B	_____	
Picea abies Norway Spruce <i>EVERGREEN CONIFER; pyramidal habit to about 60' tall by 30' wide at maturity; dark green needles persist for several years; plants sheared for fullness; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 - 7</i>	SEMI SHEARED	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Picea abies 'Cupressina' Fastigiate Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		6 - 7' 16 - 18'	B&B B&B	_____ _____	N
Picea abies 'Maxwellii' Dwarf Spreading Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; slow irregular spreading mound to about 4' high by 10' wide after many years; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		24 - 30" spr 30 - 36" spr	B&B B&B	_____ _____	N
Picea omorika Serbian Spruce <i>EVERGREEN CONIFER; narrow pyramidal habit to 60' tall & half as wide; blue & green needles; locate in full sun or partial shade & moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>		6 - 7'	B&B	_____	
Picea omorika 'Globosa' Dwarf Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; compact rounded habit; locate in full sun or partial shade & moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>		42 - 48" spr	B&B	_____	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Picea orientalis 'Gowdy' Compact Oriental Spruce <i>EVERGREEN ORNAMENTAL CONIFER; typical glossy dark green needles; compact pyramidal habit that resembles the species, but grows about half as fast; locate in full sun or very light shade & moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Picea pungens 'Baby Blue' Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 8' tall by 3' wide in 10 years; grown from a select seed source; tolerant of deer browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (W Montrose Fm) Zones 3 - 7 (8)</i>	Spring Spring	6 - 7' 7 - 8'	B&B B&B	_____ _____	N
Picea pungens 'Fastigiata' / 'Iseli Fastigiata' Columnar Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we do); gray-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn region of US (Iseli) Zones 3 - 7 (8)</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	
Picea pungens 'Fat Albert' Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</i>	Spring Spring Spring	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Picea pungens 'Glauca Globosa' Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>		24 - 30" spr	B&B	_____	
Picea pungens 'Glauca Pendula' Weeping Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking; each plants grows differently; bright blue needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	N
	STAKED				
Pieris japonica 'Mountain Fire' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March into early April; bright red new growth appears for a long time; highly deer browse resistant; locate in dappled or afternoon shade & moist acidic well-drained organic soil; native to Japan & eastern China; Zones 5 - 7</i>		18 - 24"	7g	_____	
Pinus flexilis 'Vanderwolf's Pyramid' Blue Pyramidal Limber Pine <i>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit; steel-blue needles in groups of 5; moderate to rapid grower; locate in full sun & well-drained organic moisture retentive soil; native to western North America; Zones 4 - 7</i>	Spring	6 - 7' 8 - 10'	B&B B&B	_____ _____	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Pinus heldreichii var. leucodermis Bosnian Pine <i>EVERGREEN CONIFER; pyramidal habit to about 10' & half as wide in 10 years; dark bluish-purple cones appear in spring before turning brown at maturity; dark green needles in groups of 2; high salt tolerance for coastal areas & along roads; locate in full sun & most well-drained soils including alkaline; native to the mountains of southeastern Europe; Zones 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	N N
Pinus koraiensis Korean Pine <i>EVERGREEN CONIFER; pyramidal habit with horizontal lateral limbs; distinctive layered look when young; green needles in groups of 5; locate in full sun to moderate shade & just about any soil that drains; native to Korea; Zones 4 - 7</i>		8 - 10'	B&B	_____	
Pinus parviflora 'Baldwin' Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; open grower; heavy cone set; blue-green needles in groups of 5; locate in full sun & very well-drained soils of varying pH; salt tolerant; Japanese native; Zones 4 - 7</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12' 12 - 14'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	
Pinus parviflora 'Glauca' Blue Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles in groups of 5; narrow open upright habit when young; matures to a wide spreading flat-topped habit around 40' tall; tolerant of roadside salt & coastal conditions; locate in full sun & very well-drained soils of varying pH; reclassified as (Glauca Group) from 'Glauca'; Japanese native; Zones 4 - 7</i>		6 - 7' 12 - 14' 14 - 16'	B&B B&B B&B	_____ _____ _____	
Pinus parviflora 'Petersen' <i>see: Pinus parviflora 'Baldwin'</i>				_____	
Pinus rigida Pitch Pine; Northern Pitch Pine <i>EVERGREEN ORNAMENTAL CONIFER; open irregular upright habit to 40' or more; 3 dark green needles per bundle; not particularly ornamental; locate in full sun & acidic soils with reasonable drainage; very tolerant of sterile sandy soil; native to eastern US & Canada; Zones 4 - 7</i>		6 - 7'	B&B	_____	UPRIGHT FORM
Pinus strobus Eastern White Pine <i>EVERGREEN CONIFER; long medium green needles in groups of 5; pyramidal habit in youth becomes dramatic open irregular specimens with maturity; sheared heavily, but have loose new growth on the outer branches; locate in full sun or very light shade & acidic well-drained soil; native to eastern US & Canada; Zones 3 - 7 (8)</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B	_____ _____ _____ _____	SEMI SHEARED
Pinus strobus 'Fastigiata' Fastigate Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columnar when mature; soft green needles in groups of 5; locate in full sun & well drained acidic soil; protect from wind in colder locations; PHS Gold Metal; native to eastern US & Canada; Zones 3 - 7 (8)</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Pinus strobus 'Macopin' Dwarf Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; compact globe; green needles in groups of 5; locate in full sun & well drained acidic soil; protect from wind in colder locations; native to eastern US & Canada; Zones 3 - 7 (8)</i>		30" - 36" spr 5 - 6'	B&B B&B	_____ _____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Pinus thunbergii Japanese Black Pine <i>EVERGREEN CONIFER; irregular broad upright habit; dark green needles in bundles of 2; very resistant to salt; locate in full sun & well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to Japan & Korea; Zones (5) 6 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
Platanus x acerifolia London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to about 80' tall by 65' wide; tolerates moist soils & urban conditions; subject to anthracnose & other diseases; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones 5 - 8 (9)</i>		2 - 2.5" 2.5 - 3"	B&B B&B	_____ _____	N N
Platanus acerifolia 'Bloodgood' London Planetree <i>DECIDUOUS SHADE TREE; large spreading shade tree to 80' tall & nearly as wide; exfoliating bark reveals patches of off-white & tan; high resistance to anthracnose; locate in full sun & a wide range of moisture retentive soils; good in wet soils and urban conditions [P. orientalis x P. occidentalis] Zones (4) 5 - 8 (9)</i>		2 - 2.5"	B&B	_____	
Platanus x acerifolia 'Columbia' London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; more deeply cut foliage than 'Bloodgood'; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; subject to anthracnose & other diseases; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Santamour / USNA) Zones 5 - 8 (9)</i>		4 - 4.5"	B&B	_____	
Platanus x acerifolia Exclamationâ„¢ ('Morton Circle') London Plane <i>DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>		6 - 8' stk 2 - 2.5" 2.5 - 3" 3 - 3.5"	2g B&B B&B B&B	_____ _____ _____ _____	N
Platanus x acerifolia 'Suttneri' Variegated London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; white streaks & spotting throughout the green foliage; exfoliating bark reveals striking inner white bark; pyramidal heads to about 80' tall by 30' wide at maturity; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; subject to other diseases; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones 5 - 8 (9)</i>		2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	_____ _____ _____	
Platanus occidentalis American Sycamore <i>DECIDUOUS SHADE TREE; large growing broadly headed tree to as much as 100' tall; vivid white patches on the bark of older trees; locate in full sun & a wide range of moisture retentive soils; good in wet soils; native from the Midwest through coastal Canada, US & Mexico; Zones 4 - 9</i>		2 - 2.5"	B&B	_____	N
Prunus domestica 'Stanley' European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; bluish-purple fruit in Sept; prune plums have firmer flesh & higher sugar content which allows them to be dried into prunes; good for eating, canning & jelly; rounded heads to 15' tall by 12' wide - depending on rootstock; self-fertile but bears more heavily with other plum trees near by; locate in full sun & well-drained moisture retentive soil; European native (NY Experimental Sta.) Zones 5 - 7</i>		2 - 2.5" 2.5 - 3"	B&B B&B	_____ _____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Prunus x 'Okame' Pink Bell-flowered Cherry <i>DECIDUOUS ORNAMENTAL TREE; bright rosy-pink flowers in late March or early April for an extended period if not freeze damaged; dark green summer foliage turns shades of red & orange in fall; glossy reddish-brown bark; upright oval heads to about 30' tall & wide at maturity; locate in full sun & any well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] Zones 6 - 8</i>		2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B	_____ _____ _____	N
Prunus sargentii Pink Flair® ("JFS-KW58") Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright pink flowers in early May; dark green disease resistant summer foliage turns brilliant shades of orange-red in fall; upright habit to 25' by 15' wide; glossy reddish-brown bark; heat & drought tolerant; locate in full sun & any well-drained soil; Japanese native (Schmidt) Zones (3) 4 - 8</i>	4' GRAFT	2 - 2.5" c	B&B	_____	
Prunus sargentii 'Rancho' Columnar Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; deep pink flowers in late April before the foliage; shiny dark green summer foliage turns reddish-bronze in the fall; glossy reddish-brown bark; very narrow upright to narrowly vase-shaped habit to about 35' tall by 10' wide at maturity; locate in full sun & any well-drained soil; Japanese native (Scanlon) Zones 4 - 6 (7)</i>	4' GRAFT	2 - 2.5" c 2.5 - 3" c	B&B B&B	_____ _____	
Prunus serotina Black Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in 6" racemes from late April to early May; bitter red fruit appears in late summer maturing to black; shiny dark green summer foliage turns shades of yellow & rose in the fall; upright habit to 50' or more tall by 30' or more wide; fruit attracts wildlife; tolerant of Black Locust; locate in full sun to light shade & well-drained moisture retentive soil of varying acidity; North American native; Zones 3 - 9</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____ _____ _____	N
Prunus serrulata 'Kanzan' <i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				_____	
Prunus serrulata 'Kwanzan' Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall & wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt & urban locations; locate in full sun & any well-drained soil; Asian native; Zones 4 - 7</i>		2 - 2.5" c	B&B	_____	
Prunus serrulata 'Sekiyama' <i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				_____	
Prunus subhirtella 'Autumnalis' / var. autumnalis Pink Fall-flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; spreading upright habit to 30' and almost as wide; locate in full sun & any well-drained soil; Asian native; Zones (5) 6 - 8</i>		2 - 2.5" c 4.5 - 5" c 5 - 6" c	B&B B&B B&B	_____ _____ _____	N N
Prunus x yedoensis Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid spring; upright spreading habit to about 30' high & wide; locate in full or mostly sunny areas & any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2.5 - 3" c 3 - 3.5" c 5 - 6" c 6 - 7" c	B&B B&B B&B B&B	_____ _____ _____ _____	N N N N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Prunus x yedoensis 'Akebono' Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; soft pink flowers in early April that fade to white; rapid grower with spreading heads to about 25' high & wide; locate in full or mostly sunny areas & any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____ _____ _____	
Pyrus x triploida Chastity® ('NCPX2') Flowering Pear <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to profuse white flowers in mid April; dark glossy green summer foliage turns orange to red in fall with purple highlights; broadly upright habit to about 35' tall by 25' wide; very resistant to fire blight; triploid; fruit is highly infertile; locate in full sun or light shade & just about any soil with reasonable drainage; tolerant of drought & urban conditions; Chinese native (Ranney) Zones 5 - 8</i>		2 - 2.5" c	B&B	_____	
Quercus alba White Oak <i>DECIDUOUS SHADE TREE; large spreading long-lived shade tree to about 60' tall with greater width; dark green summer foliage turns variable shades of brown to red; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B B&B	_____ _____ _____ _____	N
Quercus bicolor Swamp White Oak <i>DECIDUOUS SHADE TREE; broad rounded heads to about 50' or more tall with similar width; deeply furrowed & flaking bark; fall foliage is usually a good yellow, but can also be reddish-purple; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US & Canada; Zones 4 - 8</i>		5 - 6' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c	3g B&B B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____ _____	
Quercus coccinea Scarlet Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 70' tall by 40' wide; deeply cut dark glossy green summer foliage turns dark red in late fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; native to US & Canada; Zones 4 - 9</i>		2.5 - 3" c 3 - 3.5" c 4 - 4.5" c	B&B B&B B&B	_____ _____ _____	
Quercus macrocarpa Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; irregular open broadly spreading heads to about 70' tall & often wider; bright green summer foliage turns variable shades of yellow-brown in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist to well-drained alkaline to acidic soil; tolerant of some urban conditions; native to US & Canada; Zones 3 - 8</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	N N
Quercus montana American Chestnut Oak; Basket Oak <i>DECIDUOUS SHADE TREE; broad irregular spreading heads to about 70' tall & wide; light green summer foliage turns yellowish to golden brown in fall; easy to transplant; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full & most well-drained soils; does well in poor soils; eastern US native [formerly Q. prinus] Zones 4 - 8</i>		2 - 2.5" c 3 - 3.5" c 4 - 4.5" c	B&B B&B B&B	_____ _____ _____	

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Quercus muehlenbergii Chinkapin Oak; Yellow Chestnut Oak <i>DECIDUOUS SHADE TREE; wide spreading habit to about 50' tall with greater spread; glossy light green summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & alkaline soil with adequate moisture; eastern & central US native; Zones (4) 5 - 7</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____	N
Quercus palustris Pin Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; dark green summer foliage turns brown to russet in fall; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>		5 - 6' staked 2 - 2.5" c 3 - 3.5" c	2g B&B B&B	_____	N
Quercus phellos Willow Oak <i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>		4 - 6' 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c 6 - 7" c	3g B&B B&B B&B B&B B&B B&B B&B B&B	_____	N
Quercus prinus <i>see: Quercus montana</i>				_____	
Quercus rubra Red Oak <i>DECIDUOUS SHADE TREE; large grower to about 70' tall & wide; dark green summer foliage turns russet to bright red in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & well-drained neutral to acidic soil; some success to coastal areas; native to US & Canada; Zones (3) 4 - 7</i>		5 - 6' 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 5 - 6" c 6 - 7" c	2g B&B B&B B&B B&B B&B B&B B&B	_____	N
Rhododendron arborescens Sweet Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; fragrant white to light pink flowers with showy reddish stamens in June; glossy 4" long dark green summer foliage turns reddish in fall; loose broadly upright habit to 5' tall & wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained moisture retentive acidic soils; eastern US native; - 25° F</i>		15 - 18"	5g	_____	
Rhododendron austrinum Florida Azalea; Florida Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; reddish buds open to large clusters of fragrant yellow to orange or red flowers in late April or early May as the leaves appear; upright open habit to 8'; very heat tolerant; attracts butterflies & hummingbirds; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained acidic soils; eastern US native; SE US native; ROY 2008 Zones 6 - 9</i>		24 - 30"	7g	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Camilla's Blush' Pink Piedmont Azalea; Pink Florida Pinxter <i>DECIDUOUS FLOWERING SHRUB; fragrant soft pink flowers in late April just before foliage break; grows to 8' tall & wide; suckering roots; attracts butterflies; resists rabbit browse; all parts poisonous if ingested; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to filtered shade and deep organic well-drained moisture retentive acidic soil; native of eastern US [R. canescens] Zones 5 - 7 (8)</i>		18 - 21"	5g	
Rhododendron 'Cherokee' Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; 2" yellow, orange & red flowers in clusters at the same time from late May into early June; fall foliage is variable yellow to orange; broadly upright habit to about 10' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; eastern US native [R. calendulaceum] Zones 5 - 7</i>		15 - 18"	5g	
Rhododendron 'Garden Rainbow' Pink Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; flowers open bright yellow, slowly maturing to shades of orange & pink in late May to early June; all three colors appear at the same time; bushy upright habit to 5' tall by 3' wide; glaucous mildew resistant foliage; must be planted high with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil (Mezitt) Zones 5 - 8</i>		15 - 18"	5g	
Rhododendron 'Ken Janeck' Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; strong pink flowers fade to off white in compact trusses of 13-17 flowers in mid season; recurved dark green heavily indumented foliage; spreading habit to about 4' tall by 5' wide in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yak. seedling] (Janeck) Zones (4) 5 - 7</i>		12 - 15" spr	5g	N
Rhododendron 'Landmark' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; wavy, purplish-red flowers in May as the flowers from 'Olga Mezitt' begin to fade; small semi-glossy dark green foliage becomes a nice purple-brown through the winter; upright, somewhat open habit, to 4' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; ROY 2008 (Mezitt) - 15° F</i>		18 - 24"	5g	N
Rhododendron 'Marydel' Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant pink; early May; US native cross; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. atlanticum x R. periclymenoides] - 15° F</i>		18 - 21"	5g	
Rhododendron maximum <p style="text-align: right;">NURSERY GROWN</p> Rosebay Rhododendron <i>EVERGREEN FLOWERING SHRUB; light pink to white flowers in early July; leggy upright habit to 15' or more depending on the site; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic moisture retentive well-drained acidic soils; native to eastern US & Canada; Zones 3 - 7</i>		12 - 15"	3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Maximum Roseum' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in June; bushy grower to 6' in 10 years; dark green sun tolerant foliage; also known as 'Pontic Roseum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. ponticum x R. maximum] (Pride) - 25° F</i>		24 - 30"	7g	
Rhododendron 'Millennium' Red Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant red or dark pink flowers with pale orange dorsal flare in late June; bluish-green mildew resistant summer foliage is silvery underneath, bushy upright habit to 5' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mezitt) Zones (4) 5 - 7</i>		18 - 21"	5g	
Rhododendron 'Millie Mac' Yellow Florida Azalea Cultivar <i>DECIDUOUS FLOWERING SHRUB; reddish buds open to large clusters of fragrant vivid yellow flowers bordered with a white margin in late April to early May as the leaves appear, foliage turns yellowish in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. austrinum] Zones (6) 7 - 9</i>		18 - 24"	5g	
Rhododendron 'Mr. Bluestem' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in early June in lax trusses; narrow matte-green sun tolerant foliage; new stems are dark reddish-brown; bushy habit to about 6' tall & wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. 'Maximum Roseum' seedling] (Shannon) Zones 4 - 8</i>		24 - 30"	7g	N
Rhododendron 'My Mary' Yellow Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant trusses of up to 25 2 1/2" yellow flowers with orange tubes from late April into May; stoloniferous bushy upright rounded habit to 4' tall & wide in 10 yrs; dark green summer foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native cross [R. austrinum x (R. atlanticum x R. periclymenoides)] (Beasley) Zones 5 - 8</i>		18 - 24"	5g	
Rhododendron 'Nova Zembla' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25° F</i>		15 - 18" spr 18 - 24" spr	5g 7g	
Rhododendron nudiflorum <i>see: Rhododendron periclymenoides</i>				
Rhododendron 'Pennsylvania' Pink Native Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; fragrant pink flowers with orange eye from mid July into early August; apple-green summer foliage turns coppery-yellow in fall; compact upright to spreading habit when mature; can grow to 8' tall & similarly wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; may be able to handle more than average soil moisture; native US cross [R. viscosum x R. prunifolium] - 15° F</i>		18 - 24"	5g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron periclymenoides Pinxterbloom Azalea <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant light pink to medium pink to violet flowers in May just before or with the leaves; compact spreading habit to 5'; stoloniferous; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and well-drained acidic soils; eastern US native; formerly R. nudiflorum; Zones 4 - 8 (9)</i>		18 - 21"	5g	
Rhododendron prunifolium Plumleaf Azalea <i>DECIDUOUS FLOWERING SHRUB; varying shades of orange to red flowers in July; upright spreading somewhat open habit to 6' in 10 yrs.; 6" long medium green foliage is not particularly showy in fall; found along streams in wooded or semi-wooded areas; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; tolerates more soil moisture than most; southeast US native; Zones 5 - 8 (9)</i>		15 - 18" 24 - 30"	5g 7g	
Rhododendron 'Ribbon Candy' Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; large fragrant pink flowers with white tubes appear in mid June; dark green summer foliage is mildly subject to mildew before turning shades of burgundy, red & orange in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [(R. cumberlandense x R. arborescens) x R. mollis] Zones 6 - 7</i>		18 - 24" 24 - 30"	5g 7g	N
Rhododendron 'Silver Sovereign' White Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; compact white trusses in early-mid May; upright habit to 4' tall by 3' wide in 10 years; dark green foliage with tan indumentum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yakushmanum x R. smirnowii] (Morris / Schannen) - 20° F</i>		12 - 15" spr	5g	
Rhododendron 'Solidarity' Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; large dome trusses of 12-13 wavy pink flowers in mid-season; 5" dull green foliage with light tan indumentum; heat & sun tolerant; grows to about 4' in 10 years with a compact habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or moderate shade and deep organic well-drained moisture retentive acidic soil (Schannen) - 15° F</i>		18 - 21" spr	5g	N
Rhododendron 'Split Rock' Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early May; red winter stems; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. racemosum] - 15° F</i>		15 - 18"	5g	
Rhododendron vaseyi Pinkshell Azalea <i>DECIDUOUS FLOWERING SHRUB; white to rose to deep pink flower clusters of 4 to 8 with green throat & orange spots in April before the foliage; dark green foliage turns variable shades of orange to red in fall; open, upright habit to 5' in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; US native to the Blue Ridge Mountains of NC; Zones 4 - 7</i>		18 - 21"	5g	N

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron viscosum Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; very fragrant white to creamy flowers in early July; loose broadly upright habit to 5'; hairy stems distinguishes this species from R. arborescens (smooth stems); locate in partial or filtered shade & moist to wet acidic soils; eastern US native; Zones 4 - 9</i>		18 - 24"	5g	
Rhododendron 'Weston's Innocense' White Hybrid Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; small profuse fragrant white blooms in late June; compact upright habit to 5' tall & wide in 10 years; summer foliage is somewhat glossy with a bronze tinge & fairly mildew resistant; fall foliage is burgundy-red; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. viscosum x R. arborescens] (Mezitt) - 20° F</i>		18 - 21"	5g	N
Rhododendron 'Weston's Lemon Drop' Yellow Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; peachy buds open to lightly lemon scented yellow flowers for 2 weeks or more in July; compact upright habit ; small blue-green mildew resistant summer foliage turns pinkish-red on exterior leaves & more yellow on interior leaves; grows at half the rate of the species; winter stems are reddish-brown; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; chosen from a block of R. viscosum hybrids in 1975 (Mezitt) - 25° F</i>		18 - 24"	5g	N
Rhododendron yedoense var. poukhanense Korean Azalea <i>EVERGREEN FLOWERING SHRUB; small clusters of 2" single lightly fragrant soft lavender trusses of 2-4 flowers with a reddish blotch in May; dark green summer foliage turns orange to reddish-purple in fall & is deciduous in northern-most range; grows to about 4-5' tall & twice as wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; correct name is Rhododendron yedoense var. poukhanense; Korean native; Zones 4 - 8</i>		15 - 18"	5g	
Ribes rubrum 'Rovada' Red Currant <i>DECIDUOUS FRUITING SHRUB; inconspicuous yellowish-green pendulous spring flower clusters; clusters of bright red fruit appear in late summer are eaten fresh, used in drinks or in cooking; bushy habit to about 5' tall; attracts birds & butterflies; resists rabbit browse; locate in full sun or minimal shade & moisture retentive well-drained soils with neutral acidity; European native; Zones 3 - 7</i>			3g	
Rubus fruticosus 'Ouachita' Blackberry <i>DECIDUOUS FRUITING SHRUB; white flowers from late spring into mid-summer; sweet black fruit follow in mid to late summer; thornless; needs support; attracts pollinators; locate in full sun & well-drained moisture retentive soil; European native (U of AR) Zones 5 - 9</i>			3g	
Rubus idaeus 'Carolina' Everbearing Red Raspberry <i>FRUITING SHRUB; non-showy early to mid-spring flower; self-fruitful bright red fruit in early to mid-fall for about 8 weeks; thorny stems; broadly upright habit to about 4' tall & wide; attracts birds & butterflies; somewhat disease resistant; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil (U of MD) Zones 4 - 7</i>			3g	
Rubus idaeus var. strigosus 'Heritage' American Red Raspberry <i>FRUITING SHRUB; small light pink flower in late spring to early summer; self-fruitful large bright red fruit in early summer & a heavier crop in fall; thorny stems; broadly upright habit to about 6' tall by 4' wide & perhaps larger; attracts birds & butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			3g	

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Sassafras albidum Sassafras <i>DECIDUOUS SHADE TREE; eastern US native seldom seen in retail environments; common in hedgerows in the greater mid-Atlantic area; main ornamental feature is fall leaf color - shades of yellow orange &/or red; locate in full sun or light shade & moist acidic well-drained soil; very adaptable; Zones 4 - 9</i>		18 - 24"	2g	_____	N
Schizophragma hydrangeoides Japanese Hydrangea-vine <i>DECIDUOUS CLINGING VINE; white flower from late June into early July; bluish-green foliage; attaches to structures by hold-fasts; very interesting texture contrast when combined with Hydrangea anomala petiolaris; locate in sun or shade & any well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	3' TRELLIS	30 - 36"	7g	_____	N
Sciadopitys verticillata Japanese Umbrella Pine <i>EVERGREEN ORNAMENTAL CONIFER; long thick shiny dark green needles; pyramidal upright conifer to 50' give or take; locate in full sun or moderate shade & very well drained rich organic moisture retentive soil; PHS Gold Metal; native of Japan; Zones 5 - 6 (7)</i>		6 - 7'	B&B	_____	
Sorbus aucuparia Cardinal Royal® ('Michred') European Mountain Ash <i>DECIDUOUS SHADE TREE; white flowers in May; brilliant red fruit; dark green summer foliage is silvery below & turns reddish in fall; vigorous upright oval habit to 35' tall by 20' wide; does not perform well in climates with hot summer nights; locate in full sun & organic well-drained acidic soil; native to northern Europe & Asia; Zone 3 - 6 (7)</i>		2.5 - 3'c	B&B	_____	N
Stewartia pseudocamellia Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in July; variable fall foliage from yellow through shades of red; very ornamental exfoliating bark in shades of gray to orange-brown; small upright grower to about 30'; very similar to S. koreana; locate in partial to filtered shade & rich organic well-drained moisture retentive acidic soil; Japanese native; Zones (4) 5 - 7</i>	LOW BRANCHED	6 - 7' 7 - 8'	B&B B&B	_____ _____	
Stewartia pseudocamellia Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in July; variable fall foliage from yellow through shades of red; very ornamental exfoliating bark in shades of gray to orange-brown; small upright grower to about 30'; very similar to S. koreana; locate in partial to filtered shade & rich organic well-drained moisture retentive acidic soil; Japanese native; Zones (4) 5 - 7</i>	TREE FORM	2 - 2.5'c	B&B	_____	N
Styrax japonicus Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August & September; upright or spreading heads to 25' tall & nearly as wide; branching starts above a single stem 3' to 5' above the ground; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>	TREE FORM	2 - 2.5'c	B&B	_____	
Styrax japonicus Marleys Pink Parasolâ„¢ ('JLWeeping') Weeping Pink Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant pink flowers in May & June; darker green summer foliage than the species turns lemon-yellow in fall & is persistent; compact weeping to about 10' tall by 5' wide, but varies with staking; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic soil; eastern Asian native (Lewis / UpShoot) Zones 5 - 7 (8)</i>		2'c	B&B	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa reticulata 'Ivory Silk' Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade & well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>		5 - 6' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 4 - 4.5" c	2g B&B B&B B&B B&B	_____ _____ _____ _____ _____ N
Syringa vulgaris 'Beauty of Moscow' <i>see: Syringa vulgaris 'Krasavista Moskvj'</i>				_____
Syringa vulgaris 'Krasavista Moskvj' White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double white flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		4 - 5'	B&B	_____ N
Syringa vulgaris 'Monge' Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single reddish-purple flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		4 - 5'	B&B	_____ N
Thuja occidentalis 'Elegantissima' Variegated Eastern Arborvitae; Variegated White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; gold tipped summer foliage turns bronze in winter; broadly pyramidal habit to 15'; tolerant of air pollution, Black Walnut & deer browse; locate in full sun (for best color) or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7</i>		6 - 7'	B&B	_____
Thuja occidentalis 'Emerald Green' <i>see: Thuja occidentalis 'Smaragd'</i>				_____
Thuja occidentalis 'Smaragd' Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____
Thuja occidentalis 'Techney' Mission Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; broadly columnar habit; dark green foliage all year; interior foliage stays green; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____
Thuja plicata Western Arborvitae; Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; rapid pyramidal grower to 50' or more; bright dark green foliage; somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones (4) 5 - 8</i>		7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B	_____ _____ _____ N _____ N
Thuja x 'Steeplechase' Compact Hybrid Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; branch sport of Thuja x 'Green Giant' which is slightly slower growing; pyramidal habit with slightly brighter green foliage; leader is less aggressive with more branching; somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; US & Canadian native cross [T. plicata x T. standishii] (Manor View) Zones 5 - 8</i>		7 - 8' 8 - 10'	B&B B&B	_____ _____

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Tilia cordata Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June attract bees in profusion; small dark green heart-shaped foliage turns yellow in fall; foliage liked by Japanese Beetles; distinct pyramidal heads with dominant central leader reaching about 50' tall by 30' wide; very tolerant of urban conditions; locate in full sun & most soils; native to Europe; Zones 4 - 8</i>		2 - 2.5'c	B&B	_____	N
Tilia cordata 'Greenspire' Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall & half or more as wide; liked by Japanese Beetles; locate in full sun & most soils; very tolerant of urban conditions; native to Europe; Zones (3) 4 - 7</i>		6 - 7' 2 - 2.5"c 2.5 - 3"c	2g B&B B&B	_____ _____ _____	N N
Tilia tomentosa Green Mountain® ('PNI 6051') Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late spring are not showy; vigorous grower with a broadly pyramidal head to 50' or more tall by 40' wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind & resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat & drought tolerant; native to Europe & western Asia (Flemer) Zones 4 - 8</i>		2 - 2.5"c	B&B	_____	
Tilia tomentosa 'Sterling' Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late June are not showy; vigorous grower with pyramidal head to 50' tall & half or more as wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind & resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat & drought tolerant; native to Europe & western Asia (Wandell) Zones 4 - 8</i>		4 - 5' stk	2g	_____	
Tsuga canadensis Canadian Hemlock <i>EVERGREEN CONIFER; short medium green needles; large pyramidal habit to 50' or more; excellent screen for shady locations; adelgid can be controlled by reducing stress with adequate moisture & is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade & moist well-drained acidic soils; native to US & Canada; Zones (3) 4 - 7</i>		6 - 7'	B&B	_____	
Tsuga canadensis 'Albo-spica' Variegated Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; creamy white needles on new growth; upright mound to 10'; adelgid can be controlled by reducing stress with adequate moisture & is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade (partial shade for best foliage color) & moist well-drained acidic soils; native to US & Canada; Zones (3) 4 - 7</i>		14 - 16' 16 - 18'	B&B B&B	_____ _____	N N
Tsuga canadensis 'Aurea' / 'Golden Splendor' Golden Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; golden foliage; other than that, it's similar to the species, except it will grow a little slower; adelgid can be controlled by reducing stress with adequate moisture & is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade (partial shade for best foliage color) & moist well-drained acidic soils; native to US & Canada; Zones 5 - 7</i>		20 - 22'	B&B	_____	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Tsuga canadensis 'Pendula' Sargent Weeping Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; graceful wide-spreading evergreen; small foliage; adelgid can be controlled by reducing stress with adequate moisture & is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade & moist well-drained acidic soils; native to US & Canada; Zones (3) 4 - 7</i>	STAKED	7 - 8'	B&B	_____	N
Ulmus americana 'Jefferson' American Elm <i>DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates drought, air pollution & black walnuts; highly resistant to Dutch elm disease; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; native to US & Canada (Townsend / NPS & USNA) Zones 4 - 7</i>		2 - 2.5" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	_____ _____ _____	N
Ulmus americana 'New Harmony' American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 70' tall & wide at maturity; yellow fall foliage; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution & black walnuts; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH, salt & urban tolerant; native to US & Canada (Townsend & Schreiber / USNA) Zones 5 - 10</i>		3 - 3.5" 4.5 - 5" 5 - 6"	B&B B&B B&B	_____ _____ _____	
Ulmus americana Prairie Expedition® ('Lewis & Clark') American Elm <i>DECIDUOUS SHADE TREE; dark green summer foliage turns yellow in fall; upright arching habit to about 60' tall by 40' wide; excellent lawn or shade tree; highly resistant to Dutch Elm disease & Elm aphid; tolerates air pollution & Black Walnut; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt adaptable; native to US & Canada (NDSU) Zones 3 - 9</i>		5 - 6' stk	2g	_____	
Ulmus americana 'Princeton' American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 60' tall & wide; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution & black walnuts; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; native to US & Canada (Princeton N) Zones 3 - 9</i>		6 - 7' 2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5" 5 - 6"	2g B&B B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____ _____	N
Ulmus americana 'Valley Forge' American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 25' tall by 30' wide at 12 years; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution & black walnuts; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; native to US & Canada (Townsend & Schreiber / USNA) Zones (4) 5 - 9</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5"	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	
Vaccinium angustifolium Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in April; highly nutritious blue berries in mid-summer; blue-green summer foliage turns shades of red in fall; low spreading shrub to 2' tall; locate in full sun or partial shade & well-drained to dry acidic soil; adaptable to sterile coastal landscapes; Zones 2 - 5 (6)</i>		10 - 12" spr	3g	_____	

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Vaccinium corymbosum 'Blue Crop' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g	_____	
Vaccinium corymbosum 'Jersey' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g	_____	N
Viburnum x carlcephalum Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in early May; large bushy habit with large foliage that turns reddish in fall; locate in full to partial sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 7</i>		30 - 36"	10g	_____	N
Viburnum dentatum Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; white flower in June; black fruit in fall; variable fall foliage of yellows & reds; upright to broadly upright habit to 15' tall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada; Zones (2) 3 - 8</i>		24 - 30" 30 - 36" 4 - 5' 5 - 6'	5g 10g B&B B&B	_____ _____ _____ _____	N N
Viburnum nudum 'Winterthur' Smooth Witherod <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>		24 - 30" 30 - 36"	5g 15g	_____ _____	N
Viburnum plicatum f. tomentosum 'Mariesii' Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>		30 - 36" 4 - 5' 5 - 6' 6 - 7'	15g B&B B&B B&B	_____ _____ _____ _____	N
Viburnum plicatum f. tomentosum 'Summer Snowflake' Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; sterile white flowers sporadically all summer; fall foliage is purplish-red; compact habit to 5'; may be the same plant as 'Watanabei'; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zone 5 - 7 (8)</i>		24 - 30"	10g	_____	
Viburnum plicatum f. tomentosum 'Watanabei' Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; white lace-cap flowers from late spring into fall; fruit appears red before turning black; red fall foliage; compact upright habit to about 5' high & ultimately as wide; more compact than 'Summer Snowflake'; locate in full sun to light shade & well-drained moisture retentive soil; native to Japan; Zone 5 - 7 (8)</i>		30 - 36"	15g	_____	
Viburnum x pragense Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil; Zones 5 - 8</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____	N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum rhytidophyllum Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before maturing to black in fall; long narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; upright bushy habit to 15' tall & slightly narrower; locate in light to medium shade & well-drained moisture retentive acidic soil; native to China; Zones 5 - 7</i>		4 - 5' 5 - 6'	B&B B&B	
Viburnum rhytidophyllum 'Cree' Compact Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before turning black; narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; compact habit to 8' high & wide; possibly more cold hardy than the species; locate in light to medium shade & well-drained moisture retentive acidic soil; native to China; Zones (4) 5 - 7</i>		15 - 18"	5g	N
Zelkova serrata 'Burgundy Vase' Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns burgundy in fall; upright arching heads to about 50' tall by 35' wide; tolerant of urban conditions; locate in full sun or light shade & moist well-drained soil of varying pH; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	
Zelkova serrata 'Green Vase' Japanese Zelkova <i>SHADE TREE; vigorous upright spreading branches; orange to bronze fall foliage; locate in full sun or light shade & moist well-drained soil of varying pH; tolerant of urban conditions; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2 - 2.5" 5 - 6"	B&B B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

Delivery Instructions

Company Name: _____

Delivery Address: _____

CITY: _____ STATE: _____ ZIP: _____

Contact(s): _____

Phone Numbers: OFFICE: _____ MOBILE: _____

ALTERNATE: _____ FAX: _____

Email Address: _____

Requested Delivery Weeks(s): _____

Delivery Days / Time: MON TUE WED THU FRI SAT SUN FROM _____ am / pm TO _____ am / pm

Special Instructions: _____
