BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer campestre Streetside® ('JFS-Schichtel2')		2"c	B&B	
ledge Maple		2.5"c	B&B	
ECIDUOUS SHADE TREE; dark green summer foliage turns yellow in fall; upright oval heads to about				
5' tall by 18' wide; tolerates heavy shearing for hedging; tolerates urban conditions; locate in full sun to				
artial shade & about any well-drained soil; native to Europe & western Asia; Zones (4) 5 - 8				
Acer x Crimson Sunset® ('JFS-KW202')		1.25 - 1.7	′5"c 25g	
Redleafed Hybrid Shantung Maple; Redleafed Hybrid Purpleblow Ma		1.5"c	B&B	
DECIDUOUS SHADE TREE; inconspicuous yellow flowers in early spring; purple spring foliage is		1.75"c	B&B	
naintained all summer before turning reddish-bronze in fall; compact upright pyramidal or oval habit		2"c	B&B	
o about 35' tall by 25' wide; very tolerant of summer heat not suitable to other purple foliage plants;				
ocate in full sun to minimal shade & just about any soil pH with reasonable drainage; Asian / European				
cross [A. truncatum x A. platanoides] (Warren / Schmidt) Zones 4 - 9				
Acer freemanii Autumn Blaze® ('Jeffersred')		1.5"c	B&B	
reeman Maple		1.75"c	25g	
DECIDUOUS SHADE TREE; minimal small inconspicuous red to yellowish-green flowers; orange-red to		1.75"c	B&B	
carlet red fall foliage; broadly upright habit to about 55' tall by 40' wide at maturity; adaptable to a		2"c	B&B	
vide range of conditions; tolerates extended wet soils; locate in full sun or light shade & most any soil		2.5"c	B&B	
regardless of acidity or moisture but not continually wet; native US cross [A. rubrum x A. saccharinum]		3"c	B&B	
/Jeffers) Zones 3 - 7		3.5"c	B&B	
		4"c	B&B	
		4.5"c	B&B	
Acer ginnala 'Ruby Slippers'				
see: Acer tataricum subsp. ginnala 'Ruby Slippers'				
Acer griseum		5'	B&B	
CLUMP				
Paperbark Maple				
DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long				
samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns				
shades of red in the fall; variable growth & branching reaching to about 25' tall & wide; branching starts				
at the ground â€" sometimes with multiple main trunks; tolerates alkaline & clay soil; not drought				
tolerant; locate in full sun to partial shade (preferred) & most soils with good to moderate drainage;				
PHS Gold Metal; Chinese native; Zones 4 - 8				
Acer griseum		1.5"c	B&B	
TREE FORM		2"c	B&B	
Paperbark Maple		2.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long				
samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns				
shades of red in the fall; variable growth & branching reaching to about 25' tall & wide; usually a single				
runk for 3' to 6'; tolerates alkaline & clay soil; not drought tolerant; locate in full sun to partial shade				
(preferred) & most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8				
Acer platanoides 'Royal Red'		3"c	B&B	
Redleaf Norway Maple				
DECIDUOUS SHADE TREE; masses of non-ornamental yellowish flowers before the foliage; profuse 2"				
ight green samaras in early summer; dark burgundy-red foliage all spring and summer; compact				
rounded head reaching about 40' tall & wide; attracts pollinators; tolerates drought & air polution;				
shallow root system & dense shade makes under-planting of most plants difficult; considered invasive in				
many areas; locate in full sun to partial shade & any soil with adequate drainage; European native;				
Zones (3) 4 - 7				
2 Decision Way West represented by:			nhono: (21	4

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer pseudosieboldianum		4'	25g	
CLUMP	•			
Korean Maple; Purplebloom Maple				
DECIDUOUS ORNAMENTAL TREE; small purple flowers aren't ornamentally significant; small				
proadly upright habit to as much as 25' tall & wide; similar look to A. palmatum & A. japonicum; dark				
green summer foliage turns shades of yellow, orange & red in fall; not drought tolerant; locate in full to				
partial sun with moist well-drained soil; Asian native; Zones 4 - 8				
Acer rubrum 'Armstrong'		2"c	B&B	
Columnar Red Maple; Columnar Swamp Maple		2.5"c	B&B	
DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to				
reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in ful.	/			
eun & most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. accharinum] Zones 3 - 9				
accialinumij zones 5 - 9				
Acer rubrum Armstrong Goldâ"¢ ('JFS-KW78')			25g	
LOW BRANCHED	)	1.5"c	B&B	
Columnar Red Maple		1.75"c	B&B	
DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage		2"c	B&B	
Regreater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in	,			
all; locate in full sun & most any soil regardless of acidity or moisture but not wet; US native (Schmidt , Narren) Zones 4 - 9				
Acer rubrum Armstrong Goldâ"¢ ('JFS-KW78')			10g	
TREE FORM		1.75"c	25g	
Columnar Red Maple		1.5"c hvy	10g	
DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage & greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in				
all; locate in full sun & most any soil regardless of acidity or moisture but not wet; US native (Schmidt)	,			
Narren) Zones 4 - 9				
			505	
Acer rubrum 'October Glory'		1.5"c	B&B	
Red Maple; Swamp Maple DECIDUOUS SHADE TREE; small dark red flowers in early spring; brilliant orange-red to red fall		1.75"c	B&B	
oliage; the last A. rubrum to color in fall; broad oval head to about 50' tall & about as wide; locate in		2"c	B&B	
ull sun & moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native		2.5"c 4"c	B&B B&B	
referen). Zone 5 - 9		4 0	DαD	
<u> </u>		0.11	505	
Acer rubrum Red Sunset® ('Franksred')		2"c	B&B	
Red Maple; Swamp Maple DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head to		2.5"c	B&B	
about 50' tall; showy orange to red fall foliage; locate in full sun & moisture retentive well-drained		3"c 3.5"c	B&B B&B	
elightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9		3.5 0	Dan	
Acer rubrum Redpointe® ('Frank Jr')		1.75"c	15g	
Red Maple; Swamp Maple DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal		1.75"c	B&B	
nabit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright		2"c 2.5"c	B&B B&B	
red in early fall; locate in full sun & moisture retentive well-drained slightly acidic soil; US native		2.5 C 3"C	B&B	
Schmidt) Zones 4 - 9		4"c	B&B	
		2"c hvy	25g	
Acer saccharum Fall Fiesta® ('Bailsta')			25g	
Sugar Maple		1.5"c	B&B	
bugat Maple DECIDUOUS SHADE TREE; thick glossy green summer foliage resists leaf tatter & leafhopper damage;		1.75"c	B&B	
fall foliage is more red & orange than most other cultivars; rapid upright grower to about 60' tall by 50'		2"c	B&B	
vide; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils		3.5"c	B&B	
deicing salt reflected heat or restricted root zones; US native (Bailey) Zones 4 - 7				
-				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer saccharum 'Green Mountain'		1.5"c	B&B	
Gugar Maple		1.75"c	B&B	
DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch & leaf tatter; variable yellow to		2"c	B&B	
orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar;				
locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing sal	t			
reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8				
Acer saccharum Powder Keg® ('Whit XLIX')		1.5"c	B&B	
Sugar Maple				
DECIDUOUS SHADE TREE; leathery green summer foliage turns orange-red in fall; compact upright				
habit to 35' tall by 25' wide in time; locate in full sun or partial shade & well-drained organic soil; not				
olerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Lacebark)				
Zones 5 - 9				
Acer tataricum subsp. ginnala 'Ruby Slippers'		1.5"c	B&B	
Amur Maple		1.75"c	B&B	
DECIDUOUS SHADE TREE; persistent bright red samaras in profusion in June; glossy green summer		2"c	B&B	
foliage turns shades of yellow & green in fall; compact rounded heads to 25' high & wide; good under		2.5"c	B&B	
utility lines; locate in full sun to light shade & moist well-drained soil of any acidity; Asian native		3"c	B&B	
(Princeton Ns) Zones 3 - 8		3.5"c	B&B	
		4"c	B&B	
		4.5"c	B&B	
Acer triflorum		1.5"c	B&B	
Three-flower Maple		1.75"c	B&B	
DECIDUOUS SHADE TREE; medium sized slow growing shade tree to about 30' tall & wide with a		2"c	B&B	
rounded head; dark green summer foliage turns shades of red & orange in late October; tan bark				
exfoliates in vertical strips revealing orange-brown inner bark; pest resistant; locate in full sun or				
partial shade & moisture retentive acidic well-drained soil; Asian native; Zones (4) 5 - 7				
Acer truncatum Main Street® ('WF-AT1')		1.75"c	B&B	
Shantung Maple; Purpleblow Maple				
DECIDUOUS SHADE TREE; compact oval heads reaching up to 30' tall by 25' wide; spring foliage				
emerges purplish before turning medium green by summer then consistent orange-red in fall; good heat				
& drought tolerance for urban areas; locate in full sun or light to partial shade & acidic well-drained				
moisture retentive soil; native to China (Worthington) Zones 4 - 8 (9)				
Aesculus glabra		1.5"c	B&B	
TREE FORM		1.75"c	B&B	
Ohio Buckeye				
DECIDUOUS SHADE TREE; upright greenish-yellow panicles to 12" tall in mid-spring can have				
unpleasant aroma; brown seed pod follows; bright green summer foliage usually turns fragrant &				
yellow in fall but sometimes there are shades of orange & red; variable wide-spreading habit (shrub or				
tree) from 20-40' tall & wide; attracts hummingbirds & butterflies; tolerates rabbits & Black Walnut; no				
drought tolerant; has taproot; locate in full sun to light shade & rich organic slightly acidic well-drained				
moisture retentive soil; US native; Zones 4 - 8 (9)				
Aesculus glabra Early Glowâ,¢ ('JN Select')		1.5"c	B&B	
Ohio Buckeye		2"c	B&B	
DECIDUOUS SHADE TREE; upright greenish-yellow panicles to 12" tall in mid-spring can have		3"c	B&B	
unpleasant aroma; minimal brown seed pods follows; bright green summer foliage turns fragrant		3.5"c	B&B	
bright red in fall before the species; upright spreading habit to about 45' tall by 25' wide; attracts				
hummingbirds & butterflies; resists leaf blotch & leaf scortch; tolerates urban conditions, rabbits & Black	3			
Walnut; not drought tolerant; has taproot; locate in full sun to light shade & rich organic slightly acidic				
well-drained moisture retentive soil; US native (Yanney) Zones (3) 4 - 8 (9)				
12 Decision Way West		-	phono: (21	E) 204 (

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

tottlebrush Buckeye  ECIDIOUS FLOWERING SHRUB; upright white panicles to 12" tall in early summer; shrubby dies spreading habit to 10" high: suckering shrub that can get as wide as allowed: locate in full sun to this shade & rich organic slightly suckering shrub that can get as wide as allowed: locate in full sun to this shade & rich organic slightly sacidic well-drained moisture retentive soil. PHS Gold Metal: utheast US native; Zones 4 - 8 (9)  Interest Sakatoon Serviceberry. Columnar Juneberry  ECIDIOUS ORNAMENTAL TREE; profuse while flowers lead to dark purple edible truit in June; aright habit to about 15 fall by 4" wide: dark green oval summer foliage furns shades of orange & red fall; somewhat deer browse resistant; very drought tolerant when established; locate in full sun or pit shade & most soil typs & acidity; native to north central US & Canada; Zones 2 - 7 (8)  melanchier x grandiflora "Autumn Brilliance"  CLUMP  6" 25g  melanchier x grandiflora "Autumn Brilliance"  CLUMP  6" 88a  altures in June; foliage resists law spot & turns showy shades of orange & red in fall; bushy broadly pright purply thabit to about 25' tall & wide: stoloniferous; locate in full sun to partial shade & most sull-drained acidic, soil: native US cross [A. artores a A. lawis] (Wandeli) Zones 4 - 9  melanchier x grandiflora "Autumn Brilliance"  TREE FORM  TREE white flowers in April before the foliage: edible blue-black fruit autums in June; foliage resists kaif spot & turns showy shades of orange & red in fall; bushy broadly soright upright upright habit to about 25' tall & wide: trained to a single trunk; stoloniferous; locate in full sun partial shade & mosts well-drained acidic soil; native US cross [A. artorea x A. lawis] (Wandeli) meas 4 - 9  melanchier laevis Lustre® ('Rodgers')  Leghany Serviceberry  ECIDIOUS ORNAMENTAL TREE: profuse while flowers: persistent orange-red fall foliage; upright apright will be fi	BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
### DILIPORUS FLOWERING SHRUB: upright white panicles to 12" tall in early summer; shrubby to the spreading habit to 10" high: suckering shrub that can get as wide as allowed: locate in full sun to pit shade a rich organic slightly acidic well-drained moisture retentive soil. PHS Gold Metal: utilized to 10" high: suckering shrub that can get as wide as allowed: locate in full sun to pit shade a rich organic slightly acidic well-drained moisture retentive soil. PHS Gold Metal: utilized to 10" high shade shrub responsibility. Physical Standing Ovationa, COLUMN STANDAMENTAL TREE; profuse white flowers lead to dark purple edible fruit in June: organic shade should 15" tall by 4" wide; dark green oval summer foliage turns shades of orange & red falls. somewhat does the rowers resistant: very drought loterant when established; locate in full sun or that shade & most soil typs & acidity; native to north central US & Canada; Zones 2 - 7 (8)  ***MERIANDAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit pright upright habit to about 25" tall & wide; slokeniferous; locate in full sun to partial shade & moist elid-drained acidic soil; native US cross (A arborea x A. laevis) (Wandell) Zones 4 - 9  ***MERIANDAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & roll in fall; bushy broadly right purplication to about 25" tall & wide; trained a single trunk; stolaniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross (A. arborea x A. laevis) (Wandell) mere shade will be a single trunk; stolaniferous locate in full sun partial shade & moist well-drained acidic soil; native US cross (A. arborea x A. laevis) (Wandell) mere shade & moist well-drained acidic soil; native US cross (A. arborea x A. laevis) (Wandell) mere shade & moist well-drained acidic soil; native US cross (A. arborea x A. laevis) (Wandell) mere shade & moist well-drained acidic soil; native US cr	Aesculus parviflora		3'	B&B	
Cide   Comparison   Compariso	BUSH	ı	4'	B&B	
Ide-spreading habit to 10 high: suckering strub that can get as wide as allowed: locate in full sun to part shade & rich organic slightly acidic well-drained moisture retentive soil; PHS Gold Metal; uthreast US native; Zones 4 - 8 (9)    Immail Standing Ovationa, ** (*Obestsk*)   15g	ottlebrush Buckeye				
thit shade & rich organic slightly acidic well-drained moisture retentive soil; PHS Gold Metal; witheast US native; Zones 4 - 8 (9)  melanchier alnifolia Standing Ovationă, & ('Obesisk')  pollumnar Saskatoon Serviceberry; Columnar Juneberry  ECIDIOUS ORNAMENTAL TREE; profuse white flowers lied to dark purple edible fruit in June; right habit to about 15 'elib yê' wide; dark green oval summer foliage; turns shades of orange & red fall; somewhat deer browse resistant; very drought tolerant when established; locate in full sun or sight shade & most soil typs & acidity; native to north central US & Canada; Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance'  pople Serviceberry  ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit attures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right upright habit to about 25' tall & wide: stoleniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross (A. arborea x A. laevis) (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  pople Serviceberry  ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit attures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly wright upright habit to about 25' tall & wide: stoleniferous; locate in the shade of the partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) suppartial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) suppartial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) suppartial s					
melanchier alnifolia Standing Ovationa, ¢ ('Obesisk') oliunnar Saskatoon Serviceberry: Columnar Juneberry coliulous OknAMENTAL TREE; profuse white flowers lead to dark purple edible fruit in June; oright habit to about 15' tall by 4' wide: dark green oval summer foliage turns shades of orange & red fall; somewhat deer browse restant; very drought tolerant when established; locate in full sun or ght shade & most soil typs & acidity: native to north central US & Canada; Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance' cluMP pple Serviceberry collouous OknAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit dirative in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly oright upright habit to about 25' tall & wide: stoloniferous; locate in full sun to partial shade & moist eli-drained acidic soil: native US cross (A. arborea x A. laevis) (Wandelt) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance' TREE FORM pple Serviceberry collouous OknAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit attures in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil: native US cross [A. arborea x A. laevis] (Wandell) mes 4 - 9  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry collouous OknAMENTAL TREE; profuse white flowers: persistent orange-red fall foliage; upright persistent or about 30' tall by use and the sample trunk is stoloniferous; locate in full sun partial shade & moist well-drained acidic soil: native US cross [A. arborea x A. laevis] (Wandell) mes 4 - 9  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry collouous OknAMENTAL TREE; profuse white flowers: persistent orange-red fall foliage; upright per habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil					
melanchier alnifolia Standing Ovationă,¢ ('Obesisk') blumnar Saskatoon Serviceberry; Columnar Juneberry ECIDUOUS ORNAMENTAL TREE; profuse white flowers lead to dark purple edible fruit in June; bright habit to about 15 fail by 4 wide; dark green oval summer foliage turns shades of orange & red fall; somewhat deer browse resistant; very drought tolerant when established; locate in full sun or ght shade & most soil typs & acidity; native to north central US & Canada; Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance'  CLUMP 5' 25g  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit 6' 88B  altures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right purplish thabit to about 25 fall & wide; stoloniterous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A arborea xA laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM 1.75'c  B&B  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly wright purplish habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) melanchier laevis Lustre® ('Rodgers')  leghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright per habit to 26' by 15' wide; minimal suckering; locate in full sun or light shade; so orange in fall; per habit to 26' by 15' wide; minimal suckering; locate in full sun or light shade; so orange in fall; per habit to about 3' cital by 20' wide; befat to develop into a single stem tree with a dominant in 15'c B&B  melanchier laevis Expressed to a develop into a single stem tree with a dominant in 15'c B&B  melanchier see purplish-blue					
CLUMP   Section   Service   Columnar June   Deberry   Debe	outheast US native; Zones 4 - 8 (9)				
reight habit to about 15' tall by 4' wide: dark green oval summer foliage turns shades of orange & red fall: somewhat deer browse resistant: very drought tolerant when established: locate in full sun or pht shade & most soil typs & acidity: native to north central US & Canada: Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance'  CLUMP 5' 25g pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage: edible blue-black fruit 6' 8& 8& 8  attures in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 7' 8& 8& 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pright upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil: native US cross [A. arborea x A. leevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit attures in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly relight upright habit to about 25' tall & wide: trained to a single trunk: stoloniferous; locate in full sun partial shade & moist well-drained acidic soil: native US cross [A. arborea x A. laevis] (Wandell) mes 4 - 9  melanchier laevis Lustre® ('Rodgers')  lieghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage: upright to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Snative: Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  lieghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in 1.5'c 10g 1.5'c 15g 1.5'c 10g 1.5'c 15g 1.5'c 1	Amelanchier alnifolia Standing Ovationâ,¢ ('Obeslsk')			15g	
indight habit to about 15' tall by 4' wide; dark green oval summer foliage turns shades of orange & red fall: somewhat deer browse resistant: very drought tolerant when established: locate in full sun or this shade & most soll typs & acidity: native to north central US & Canada; Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance'  CLUMP 5' 25g pple Serviceberry  ECIDIOUO S ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit 6 888 atures in June: foliage resists leaf spot & turns showy shades of orange & red in fall: bushy broadly oright habit to about 25' tall & wide: stoloniferous; locate in full sun to partial shade & moist elid-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  pple Serviceberry  ECIDIOUO S ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly oright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil: native US cross [A. arborea x A. laevis] (Wandell) ones 4 - 9  melanchier laevis Lustre® ('Rodgers')  Ileghany Serviceberry  ECIDIOUO SORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage: upright enhabit to 25' by 15' wide; minimal suckering; locate in full sun or light shade: soil & pH adaptable:  Snative: Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  Ileghany Serviceberry  ECIDIOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in 1.5'c 10g 1.5'c 15g 1.5'c 10g 1.5'c 15g 1.5'c 15g 1.5'c 10g 1.5'c 15g 1.5'c	Columnar Saskatoon Serviceberry; Columnar Juneberry				
tall: somewhat deer browse resistant: very drought tolerant when established: locate in full sun or gint shade & most soil typs & acidity: native to north central US & Canada: Zones 2 - 7 (8)  melanchier x grandiflora 'Autumn Brilliance'  CLUMP  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE: white flowers in April before the foliage; edible blue-black fruit atures in June: foliage resists leaf spot & turns showy shades of orange & red in fall: bushy broadly relight habit to about 25' tall & wide: stoloniferous: locate in full sun to partial shade & moist ell-drained acidic soil: native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pple Serviceberry  ECIDIOUS ORNAMENTAL TREE: white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall: bushy broadly veright upright habit to about 25' tall & wide: trained to a single trunk: stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) april before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly veright upright trabit to about 25' tall & wide: trained to a single trunk: stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) april before try CEIDUOUS ORNAMENTAL TREE: profuse white flowers; persistent orange-red fall foliage: upright personal partial shade in full sun or light shade; soil & pH adaptable; for shade; soil & pH adaptable; for shade and the personal partial shade will be about 30' tall by 20' wide: bred to develop into a single stem tree with a dominant parties white flowers in 1.5'c 10g 1.5'c 15g 1.5'c	DECIDUOUS ORNAMENTAL TREE; profuse white flowers lead to dark purple edible fruit in June;				
melanchier x grandiflora 'Autumn Brilliance'  CLUMP 5' 25g pple Serviceberry ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit 6' 88B atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 7' 88B atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 7' 88B atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 7' 88B atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 88B attree in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 88B attree in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 88B attree in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 88B attree in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly 88B 88B 88B 88B 88B 88B 88B 88B 88B 88	pright habit to about 15' tall by 4' wide; dark green oval summer foliage turns shades of orange & red				
melanchier x grandiflora 'Autumn Brilliance'  CLUMP  5' 25g  Spple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June: foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right nabit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) mores 4 - 9  melanchier laevis Lustre® ('Rodgers')  fleghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright enhabit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Sonative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  fleghany Serviceberry  flegha	n fall; somewhat deer browse resistant; very drought tolerant when established; locate in full sun or				
CLUMP pple Serviceberry ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit altures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right fupright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM pple Serviceberry ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) mese 4 - 9  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry ECIDIOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright en habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry ECIDIOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in porti; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; pright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant male leader; locate in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in	ight shade & most soil typs & acidity; native to north central US & Canada; Zones 2 - 7 (8)				
CLUMP pple Serviceberry ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit altures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right fupright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM pple Serviceberry ECIDIOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) mese 4 - 9  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry ECIDIOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright en habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry ECIDIOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in porti; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; pright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant male leader; locate in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in full sun or light shade & pH adaptable well-drained soil; US native: Zones 4 - 8  melanctic in	Amelanchier x grandiflora 'Autumn Brilliance'		3.5'	15g	
B&B   Attres in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9    TREE FORM	•	•		_	
B&B   Attres in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly right upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade & moist ell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9    TREE FORM	Apple Serviceberry		5'	B&B	
melanchier x grandiflora 'Autumn Brilliance'  melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk: stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell)  melanchier laevis Lustre® ('Rodgers')  lleghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  lleghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in 1.5'c 10g 1.5'c 1	DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit		6'	B&B	
melanchier x grandiflora 'Autumn Brilliance'  TREE FORM  pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) mese 4 - 9  melanchier laevis Lustre® ('Rodgers')  lleghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright come habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  lleghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in pright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant oright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant oright in June or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba  promon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large 2'c B&B 2'c B	natures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly		7'	B&B	
melanchier x grandiflora 'Autumn Brilliance'  TREE FORM pple Serviceberry  ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit autres in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly pright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell)  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright ben habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Strative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in pril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; oright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant ingle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba ommon Pawpaw ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large elible custard-like fruit in late summer tastes almost like a banana or mango; medium tensen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' green summer f	pright upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist				
TREE FORM pple Serviceberry ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell)  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry lleghany Serviceberry len habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry lleghany Serviceber	vell-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9				
TREE FORM pple Serviceberry ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell)  melanchier laevis Lustre® ('Rodgers') lleghany Serviceberry lleghany Serviceberry len habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Snative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb') lleghany Serviceberry lleghany Serviceber	Amelanchier x grandiflora 'Autumn Brilliance'		1.5"c	B&B	
ECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly bright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) mes 4 - 9    Melanchier laevis Lustre ("Rodgers")   1.25"c   15g   1.5"c   10g   1.5"c   10g   1.75"c   25g   1.5"c   10g   1.75"c   2.5"c   10g   1.75"c   2.5"c   10g   1.5"c   1.5"c   10g   1.5"c   1.	_	ı	1.75"c	B&B	
atures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly pright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) ones 4 - 9    Melanchier laevis Lustre® ('Rodgers')   1.25°c   15g   1.5°c   10g   1.5°c   10g   1.75°c   25g   1.5°c   10g   1.75°c   10g   1.75°c   10g   1.75°c   10g   1.75°c   10g   1.75°c   10g   1.5°c   10g   1.5°c	Apple Serviceberry				
partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) partial shade & moist well-drained soil soil; soil soil soil soil soil soil soil soil	DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit				
melanchier laevis Lustre® ('Rodgers')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright pen habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Sonative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  Ileghany Serviceberry  In 1.25"c  In 15g  In 1.25"c  In 25"c  In 25"c	matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly				
melanchier laevis Lustre® ('Rodgers')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright  been habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Sonative; Zones 4 - 8  melanchier laevis Spring Flurry® ('UFS-Arb')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in portl; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; project to alout 30' tall by 20' wide; bred to develop into a single stem tree with a dominant ingle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba  common Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  collowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium the seen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' and a single stem to wet soils, although is  1.5°c	pright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun				
melanchier laevis Lustre® ('Rodgers')  Illeghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright  been habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;  Sonative; Zones 4 - 8  melanchier laevis Spring Flurry® ('JFS-Arb')  Illeghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in  boril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall;  boright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant  nagle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba  bornmon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  bellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium  there is a profuse of 3 turns yellow in fall; somewhat open understory tree to about 20'  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is					
Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright been habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Sonative; Zones 4 - 8  Independent a laevis Spring Flurry ("JFS-Arb")  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in poril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; and pright shade with a dominant purple leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  Independent of the summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' and single leader in full sun or shade & moist to wet soils, although is  Independent of the summer foliage; large and summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' and summer foliage in groups of 3 turns yellow in full sun or shade & moist to wet soils, although is	Zones 4 - 9				
Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright been habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable; Sonative; Zones 4 - 8  Independent a laevis Spring Flurry ("JFS-Arb")  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in poril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; and pright shade with a dominant purple leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  Independent of the summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' and single leader in full sun or shade & moist to wet soils, although is  Independent of the summer foliage; large and summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' and summer foliage in groups of 3 turns yellow in full sun or shade & moist to wet soils, although is	Amelanchier laevis Lustre® ('Rodgers')		1.25"c	15g	
melanchier laevis Spring Flurry® ('JFS-Arb')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in oril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; oright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant oright shade & pH adaptable well-drained soil; US native; Zones 4 - 8  Simina triloba  Ommon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is	Alleghany Serviceberry		1.5"c	10g	
melanchier laevis Spring Flurry® ('JFS-Arb')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in port; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; portight oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant angle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba  common Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large collowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is	DECIDUOUS ORNAMENTAL TREE; profuse white flowers; persistent orange-red fall foliage; upright		1.75"c	25g	
melanchier laevis Spring Flurry® ('JFS-Arb')  Ileghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in oril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; oright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant oright elader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  simina triloba  common Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium or seen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is	pen habit to 25' by 15' wide; minimal suckering; locate in full sun or light shade; soil & pH adaptable;				
Illeghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in pril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; suright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant single leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  ESIMINA TRIBOBA  SEMINA TRIBOBA  SECTIONOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Followish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium seen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'	JS native; Zones 4 - 8				
Illeghany Serviceberry  ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in pril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; suright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant single leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  ESIMINA TRIBOBA  SEMINA TRIBOBA  SECTIONOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Followish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium seen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'  SENIONOUS FLOWERING TREE; purple flower in fall; somewhat open understory tree to about 20'	Amelanchier laevis Spring Flurry® ('JFS-Arb')		1.25"c	15g	
ECIDUOUS ORNAMENTAL TREE; lightly fragrant large profuse clusters of small white flowers in oril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; oright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant ongle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  SSIMINA TRIBODA  OMMON PAWPAW  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large followish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium of the summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  Sigh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is				_	
poril; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall; poright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant angle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  SSIMINA TRIBOBA COMMON PAWPAW ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large followish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium freen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is			1.5"c	_	
pright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant angle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8  Simina triloba  Dommon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Pellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium areen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'	April; sweet purplish-blue edible fruit in June; green summer foliage turns shades of orange in fall;		1.75"c	25g	
simina triloba  Institution of the properties of the new foliage; large  Institution of the new	pright oval habit to about 30' tall by 20' wide; bred to develop into a single stem tree with a dominant		1.75"c	_	
ommon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium reen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow i	ingle leader; locate in full sun or light shade & pH adaptable well-drained soil; US native; Zones 4 - 8				
ommon Pawpaw  ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  Ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium reen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  The summer foliage in groups of 3 turns yellow i	Asimina triloha		1.5"c	R&R	
ECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large  2"c B&B  ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium  reen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is					
ellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium reen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is					
reen summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20'  3"c  B&B  gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is					
gh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is					
	igh & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is				
	peing seen in dryer sites; eastern US native; Zones 5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Betula nigra Heritage® ('Cully')		8'+	25g	
CLUMP		10 - 12'	B&B	
River Birch		12 - 14'	B&B	
DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in		14 - 16'	B&B	
spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of				
rellow in fall; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; resists				
drought, leaf spot & borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade &				
noist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9				
Betula nigra Heritage® ('Cully')		2"c	B&B	
TREE FORM		2.5"c	B&B	
River Birch		3"c	B&B	
DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in		3.5"c	B&B	
pring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of		4"c	B&B	
rellow in fall; broadly upright habit to about 45' tall by 30' wide; resists drought, leaf spot & borers;		4.5"c	B&B	
olerates wet soils; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; supposedly				
mproved selection of original Heritage; US native (Cully) Zones 3 - 9				
Betula nigra Northern Tributeâ"¢ ('Dickinson')		3.5"c	B&B	
River Birch				
DECIDUOUS ORNAMENTAL TREE; ivory bark with coppery exfoliation on mature stems; dark green				
ummer foliage that turns a good yellow in fall; upright oval habit to about 35' tall by 30' wide; tolerant				
f more cold, drought & alkaline soils than seedling River Birch; fall dig hazard; locate in full or minimal				
hade & a wide range of soils; US native (Herman) Zones 3 - 9				
arpinus betulus 'Fastigiata'		2"c	B&B	
HIGH BRANCHED		2.5"c	B&B	
Columnar European Hornbeam		3"c	B&B	
DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer		3.5"c	B&B	
oliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &		4"c	B&B	
bout 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter				
specially in protected locations; branching normally starts about 4' above the ground; locate in full sun				
r part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8				
Carpinus betulus 'Fastigiata'		1.75"c	B&B	
LOW BRANCHED		2"c	25g	
Columnar European Hornbeam		3.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; dark green summer				
oliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &				
bout 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter				
specially in protected locations; branching starts at or near the ground; locate in full sun or part shade				
any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8				
Carpinus betulus 'Franz Fontaine'		2"c	B&B	
columnar European Hornbeam				
DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer				
oliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way				
hen matures; Franz can't read so also gets about 40' tall & about 30' wide; good for hedging as it takes				
hearing well & the foliage is often retained through winter - especially in protected locations; branching	•			
tarts at or near the ground; locate in full sun or part shade & any soil with moderate drainage; native				
o Europe & Asia Minor; Zones 5 - 8				
2 Decision Way West			phono: (21	<u> </u>

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Carpinus caroliniana		7'	B&B	
Merican Hornbeam; Ironwood; Musclewood				
Carpinus caroliniana		7'	B&B	
American Hornbeam; Ironwood; Musclewood DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; new poliage emerges with purplish tints before maturing to dark green by summer then variable shades of the version or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about the variable shades of the version of the ve				
Carpinus caroliniana		2"c	B&B	
TREE FORM American Hornbeam; Ironwood; Musclewood DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; new coliage emerges with purplish tints before maturing to dark green by summer then variable shades of cellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 100 tall & wide; tolerant of heavy shearing & Black Walnut; branching starts about 4' above the ground; pocate in full sun or full shade & just about soil condition; US native; Zones 3 - 9		2.5"c	B&B	
Carpinus caroliniana Fire Kingâ, ('JM Select A') American Hornbeam; Ironwood; Musclewood DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; bounded heads to about 20' tall & wide; consistent orange-red fall foliage; smooth irregularly fluted array bark; locate in full sun or full shade; very adaptable to many soil conditions including urban accations; US native (Yanny / Upshoot) Zones (3) 4 - 9		1.5"c	B&B	
Carpinus caroliniana Native Flame® ('JFS-KW6') American Hornbeam; Ironwood; Musclewood DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; new poliage emerges with purplish tints before maturing to dark green by summer then variable shades of the low orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 0' tall & wide; tolerant of heavy shearing; branching starts at or near the ground; locate in full sun or call shade & just about soil condition; US native; Zones 3 - 9		1.5"c	25g	
Carpinus caroliniana Palisade® ('CCSQU') Columnar American Hornbeam; Columnar Ironwood; Columnar Muscle DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; dark areen summer foliage turns shades of yellow in fall; smooth irregularly fluted gray bark; upright habit to about 30' tall by 15' wide; tolerant of heavy shearing; branching starts at about 4' above the ground; to be cate in full sun or full shade & just about soil condition; US native; Zones 3 - 9		1.5"c 1.75"c	B&B B&B	
Catalpa speciosa Heartland® ('Hiawatha2') Northern Catalpa DECIDUOUS SHADE TREE; showy 2" white flower clusters in large upright panicles in June or early luly; long narrow brown seed pods in fall; large heart-shaped dark green summer foliage turns wellowish-green in fall; rapid growing upright somewhat columnar habit to about 50' tall by 25' wide; colerates deer, wet & dry soil, air polution & heavy soil; locate in sun or partial shade & just about any will with reasonable drainage; US native (Schmidt) Zones 4 - 8 (9)		2"c 2.5"c 3"c 3.5"c	B&B B&B B&B B&B	
		1.5"c	B&B	
Celtis occidentalis		1.75"c	B&B	
Common Hackberry; Northern Hackberry		2"c	25g	
Common Hackberry; Northern Hackberry DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple;			B&B	
Common Hackberry; Northern Hackberry DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple; Treen summer foliage turns yellowish-tan in fall; oval or rounded heads to about 50' tall & wide;		2.5"c	Dab	
Common Hackberry; Northern Hackberry DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple; reen summer foliage turns yellowish-tan in fall; oval or rounded heads to about 50' tall & wide; olerates urban conditions & occasional flooding; resists drought, limited salt exposure & most pests;		2.5"c 3"c	B&B	
Common Hackberry; Northern Hackberry				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

	AVAIL.	SIZE	ROOTS	QNTY
Celtis occidentalis 'Chicagoland' Common Hackberry; Northern Hackberry DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple;		3.5"c	B&B	
reen summer foliage turns yellowish-tan in fall; oval or rounded heads to about 50' tall & wide; plerates urban conditions & occasional flooding; resists drought, limited salt exposure & most pests; pocate in full sun & prefers neutral to alkaline moisture retentive soil that isn't wet for extended periods; ative to US & Canada; Zones 3 - 7 (8)				
Cercidiphyllum japonicum		1.75"c	15g	
Katsura DECIDUOUS SHADE TREE; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young to bout 50' or more tall becomes as wide as tall at maturity; locate in full sun or partial shade & yell-drained moisture retentive soil; not drought tolerant; native to Japan & China; Zones 4 - 8				
Cercidiphyllum japonicum  Catsura Tree  DECIDUOUS SHADE TREE; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young to bout 50' or more tall becomes as wide as tall at maturity; locate in full sun or partial shade & yell-drained moisture retentive soil; not drought tolerant; native to Japan & China; Zones 4 - 8		2"c	B&B	
Cercidiphyllum japonicum 'Hanna's Heart' Compact Upright Katsura DECIDUOUS SHADE TREE; foliage emerges reddish-purple before maturing to a slightly darker due-green than the species by summer; yellow to soft orange fall foliage; fallen fall foliage has a sweet mell; compact upright habit to about 25' by about 12' wide at maturity; not drought tolerant; locate in full sun or partial shade & well-drained moisture retentive soil; named for Hanna Birknger who had a feart defect but was cured; native to Japan & China; Zones 4 - 8			10g	
Cercis canadensis		5'	B&B	
BUSH		6' full	25g	
Eastern Redbud		6'	B&B	-
DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring		7'	B&B	
oliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; vide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Valnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of ery wet or dry soils; US native; Zones (3) 4 - 9		8' 9'	B&B B&B	
Cercis canadensis		1.5"c full	15g	
TREE FORM		1.5"c	B&B	
Eastern Redbud		1.75"c full	25g	
DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring		1.75"c	B&B	
oliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; vide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any vell-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9		2"c	B&B	
Cercis canadensis 'Appalachian Red'		1.25"c	15g	
Pink Eastern Redbud		1.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring		1.75"c	B&B	
pliage emerges reddish before turning dark green by summer then variable shades of yellow in fall;		2"c	B&B	-
vide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial		2.5"c	B&B	-
hade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native Byrkit) Zones 4 - 9		3"c	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cercis canadensis Black Pearlâ,¢ ('JN16')		1.5"c	B&B	
Purple-leaf Eastern Redbud		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April		2"c	B&B	
efore the foliage; foliage is a very dark (almost black) purple through summer then chartreuse yellow				
n fall; wide-spreading habit to about 20' tall by 25' wide; resists Black Walnut; not tolerant of very wet				
r very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native				
Ruby Falls x The Rising Sun] (Garden Debut) Zones 4 - 9				
Cercis canadensis Carolina Sweetheartâ,¢ ('NCCC1')		1.5"c	B&B	
/ariegated Eastern Redbud		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright		2"c	B&B	
ink & soon add green & white before maturing to mostly green by summer then variable shades of				
rellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of				
very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil;				
JS native (Star) Zones 4 - 9				
Cercis canadensis f. alba 'Royal White'		1.5"c	B&B	
Vhite Eastern Redbud		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; profuse pure white flowers are larger and appear just prior to "f.		2"c	B&B	
lba"; spring foliage emerges reddish before turning dark green by summer then variable shades of		3.5"c	B&B	
ellow in fall; compact rounded habit to about 20' tall & wide; resistant to Black Walnut; locate in full				
un or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US				
native (McDaniel) Zones 4 - 9				
Cercis canadensis 'Forest Pansy'		8'	B&B	
BUSH				
Purple-leaf Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring				
oliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of				
rellow in fall; wide-spreading multi-stemmed bush to as much as 25' tall by 35' wide; resists Black				
Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained noisture retentive soil; US native (Forest N) Zones (4) 5 - 9				
Cercis canadensis Golden Falls® ('NC2015-12')			15g	
Golden Weeping Eastern Redbud		1.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges		1.75"c	B&B	
prange with yellow dominating & retained through summer; strictly weeping habit; height determined		2"c	B&B	
by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture				
etentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9				
Cercis canadensis Heart's Desireâ, ¢ ('UMN7101')		1.75"c	15g	
Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring				
oliage emerges reddish before turning dark green by summer then yellow in fall; wide-spreading habit				
o about 20' tall by 30' wide; branching usually starts about 3' to 5' above the ground from a single stem; esists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any				
vell-drained moisture retentive soil; US native (U of MN Arb / Schmidt) Zones (3) 4 - 9				
		4 ="	505	
Cercis canadensis Lavender Twistâ, ¢ ('Covey')		1.5"c	B&B	
Veeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges		1.75"c	B&B	
eddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping		2"c 2.5"c	B&B B&B	
abit; height determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils;		2.0 C	D&D	
ocate in full sun or partial shade & any well-drained moisture retentive soil; US native (Brotzman)				
Cones 4 - 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Cercis canadensis 'Merlot'		1.5c	B&B	
Purple-leaf Eastern Redbud		1.5"c	15g	
DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller		2"c	B&B	
hicker spring foliage emerges purple before turning dark glossy green by late summer then variable		2.5"c	B&B	
shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more				
norizontal than 'Forest Pansy'; resists Black Walnut; not tolerant of very wet or very dry soils; locate in				
full sun or partial shade & any well-drained moisture retentive soil; parentage makes it more heat &				
drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9				
Cercis canadensis Midnight Expressâ,¢ ('RNI-RCC3')		1.5"c	15g	
Purple-leaf Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage;				
upright oval heads to about 30' tall by 20' wide; attracts hummingbirds; resists Black Walnut; not				
tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture				
retentive soil; US native (Robinson / PW) Zones 4 - 9				
Cercis canadensis 'Ruby Falls'		2.5"c	B&B	
Weeping Purple-leaf Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring				
foliage emerges purple then becomes purplish-green by summer & variable shades of yellow in fall;				
wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very				
dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native [C.c.				
Covey' x C.c. 'Forest Pansy'] (Byrkit / Werner) Zones 4 - 9				
Cercis canadensis Sky Valley		2"c	B&B	
Eastern Redbud		2.5"c	B&B	
		3"c	B&B	
Cercis canadensis Sparkling Wineâ,¢ ('JN21')		2"c	B&B	
Purple-leaf Eastern Redbud				
DECIDUOUS ORNAMENTAL TREE; dark rosy-pink flowers in April before the foliage; glossy dark				
ourple spring foliage bronzes in summer then turns shades of yellow in fall; compact broadly upright				
habit to about 15' tall & wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in				
full sun or partial shade & any well-drained moisture retentive soil; US native (Garden Debut) Zones 4	-			
9				
Cercis canadensis subsp. texensis 'Oklahoma'		2"c	B&B	
Oklahoma Redbud		2.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; wine-red buds open to rosy-red flowers April before the foliage;		3"c	B&B	
thick glossy dark green drought resistant foliage; coumpact rounded habit to about 20' tall & wide;				
locate in sun or part shade & most well-drained moisture retentive soil; US native; Zones 6 - 9				
Cercis canadensis subsp. texensis 'Pink Pom Poms'		2"c	B&B	
Pink Oklahoma Redbud		2.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; masses of double pink flowers in April before the foliage; seedless;		3.5"c	B&B	
thick glossy dark green drought resistant foliage; compact rounded habit to about 12' tall & wide in 8				
years; locate in sun or part shade & most well-drained moisture retentive soil; US native (Werner /				
Star) Zones 6 - 9				
Cercis canadensis The Rising Sunâ,¢ ('JN2')			15g	
Gold-leaf Eastern Redbud		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; profuse rosy-lavender flowers appear in spring before the leaves;		2"c	B&B	
spring foliage break is a wow as the new leaves unfurl bright orange-pink before turning chartreuse &		3"c	B&B	
finally lime green by summer; fall reintroduces the bright gold to orange tones; rounded habit to about				
25' tall &' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or				
partial shade & any well-drained moisture retentive soil; US native (Jackson) Zones (5) 6 - 9				
12 Decicion Way Wast			phono: (21	
2 Decision Way West represented by:				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
ercis canadensis 'Vanilla Twist'		2.5"c	B&B	
Veeping White Eastern Redbud		3"c	B&B	
ECIDUOUS ORNAMENTAL TREE; profuse white flowers in April; spring foliage emerges reddish				
efore turning dark green by summer then variable shades of yellow in fall; strictly weeping habit				
hose size is determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils;				
ocate in full sun or partial shade & any well-drained moisture retentive soil; US native [C. Royal White				
C. Lavender Twist] (Brotzman) Zones 5 - 9				
Cercis chinensis 'Kay's Early Hope'		1.5"c	B&B	
TREE FORM		1.75"c	B&B	
Chinese Redbud		2"c	B&B	
DECIDUOUS ORNAMENTAL TREE; bright pink blooms just before C. canadensis are effective for an				
xtended period; blooms may overlap for a short time; long brown seed pods in fall; glossy green				
ummer foliage turns yellowish in fall; small multi-stemmed habit to about 15' tall & wide; attracts				
ollinators; resists deer browse; tolerates Black Locust; locate in sun or part shade & any well-drained				
oil; Chinese native; Zones 6 - 9				
Chionanthus retusus 'Tokyo Tower'		1.5"c	B&B	
Columnar Chinese Fringetree				
DECIDUOUS FLOWERING SHRUB; profuse fragrant snow-white flowers from May to June;				
lueberry-like fruit in fall contrasts nicely with yellow fall foliage; summer foliage is glossy dark green;				
ariable exfoliating cinnamon bark; slow upright habit to about 25' tall by 6' wide at maturity; locate in				
ull sun to partial shade & moisture retentive well-drained acidic soil; not drought tolerant; native to				
astern Asia; Zones (5) 6 - 8				
ladrastis kentukea		1.5"c	25g	
merican Yellowwood		1.5"c	B&B	
DECIDUOUS SHADE TREE; fragrant white panicles in late May bloom heaviest on alternate years;		1.75"c	B&B	
right yellowish-green summer foliage turns golden in fall; upright habit to about 50' or more tall with a		2"c	B&B	
roader spread when mature; locate in full sun & well-drained soil of any pH; PHS Gold Metal;		2.5"c	B&B	
ormerly named C. lutea; US native; Zones (3) 4 - 8				
Cornus alternifolia		1.5"c	10g	
agoda Dogwood				
DECIDUOUS ORNAMENTAL TREE; extremely fragrant yellowish-white flat-topped cymes in late May;				
mall fruit appears in late July that transitions from green to red to bluish-black; wide spreading				
orizontal habit to 25' tall by 40' wide; dark green summer foliage turns reddish in fall; locate is partial hade & well-drained acidic soil; US native; Zones 3 - 7				
naue & Weit-ut attieu actuic soit, Os hative, Zones 3 - 7				
Cornus x Aurora® ('Rutban')		3.5"c	B&B	
White Rutgers Hybrid Dogwood; White Stellar® Dogwood				
DECIDUOUS ORNAMENTAL TREE; profuse overlapping white bracts appear in mid to late May which				
ecome off-white in time; vigorously upright in youth becomes broader with age to about 25' tall by 20'				
vide; fall foliage turns reddish-purple; resistant to anthracnose, borers & powdery mildew; locate in full				
un to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) iones 5 - 7				
		P	40	
fornus florida "Appalachian Snow'		liner	10g	
lowering Dogwood ECIDUOUS ORNAMENTAL TREE; profuse large overlapping white bracts in May; reddish fruit in late		1.5"c	B&B B&B	
iectibooos oknawien fal. TREE, profuse large overlapping write bracts in way, reduish if dit in fale Immer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to		1.75"c 2"c	B&B	
bout 25' tall & wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good	,	Z (	D&D	
rganic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9				
<u> </u>				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus florida 'Cloud 9'			15g	
lowering Dogwood				
DECIDUOUS ORNAMENTAL TREE; showy overlapping white bracts in May; red fruit in late summer				
oved by birds; bright red fall foliage; layered spreading habit to about 25' tall & wide; locate in full sun				
o partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9				
Cornus florida 'Spring Grove'		2"c	B&B	
Vhite Flowering Dogwood				
DECIDUOUS ORNAMENTAL TREE; masses of showy white flower bracts in late April or early May;				
ed fruit in late summer is devoured by birds; variably bright to dark red fall foliage; rounded upright				
abit to about 25' tall & wide; seleted for improved hardiness & flower show; locate in full sun to partial				
hade with good organic well-drained moisture retentive acidic soil; US native (found in Spring Grove emetery) Zones 5 - 9				
		4.5%	Dan	
Cornus kousa 'Heart Throb'		1.5"c 1.75"c	B&B B&B	
Pink Kousa Dogwood; Pink Japanese Dogwood DECIDUOUS ORNAMENTAL TREE; variable pink bracts (red to off white); locate in full sun to partial		1.75 C 2"C	B&B	
hade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8		2 0	ΒαΒ	
Cornus kousa var. chinensis			25g	
BUSH		5'	B&B	
Chinese Kousa Dogwood; Chinese Dogwood	l	7'	B&B	
DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright			20.2	
inkish-red edible round fruit from late summer into fall; reddish-orange fall foliage; flowers, fruit &				
oliage reported to be slightly larger than the species; mottled gray & tan exfoliating bark; vase shaped				
when young becomes as high & wide at maturity - about 25'; plants have a single trunk with branching				
tarting at about 2-3'; locate in full sun to partial shade & acidic organic well-drained moisture retentive	9			
oil; Asian native; Zones 5 - 8				
Cornus mas 'Golden Glory'		1"c	15g	
TREE FORM		1.5"c	B&B	
Corneliancherry Dogwood		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; yellow flowers in March; bright red fruit in July; exfoliating gray				
o brown bark; grows to about 20' tall; slower & more upright habit than the species, but usually more				
loriferous; branching starts about 3' or more above the ground; locate in full sun to partial shade with any well drained organic soil; native to Europe & western Asia; Zones 4 - 7				
iny wen di amed of game son, mative to Europe & Western Asia, Zones 4 - 7				
Cornus mas Saffron Sentinelâ,¢ ('JFS PN4Legacy')		1.5"c	B&B	
Columnar Corneliancherry Dogwood		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; yellow flowers in March before the foliage; bright red fruit in late				
ummer are edible; exfoliating gray to brown bark; columnar habit to about 20' tall by 10' wide; clean lark green summer foliage turns scarlet in fall; locate in full sun to partial shade with any well drained				
organic soil; native to Europe & western Asia; Zones 4 - 7				
Cornus officinalis 'Kintoki'		1.5"c	B&B	
Compact Chinese Cornel Dogwood		1.0 0	Dad	
DECIDUOUS ORNAMENTAL TREE; even more profuse yellow flowers in early spring before the foliage				
about week or two before C. mas; red cherry-like fruit appear in Sept after C. mas; distinctive				
xfoliating bark exhibits grays, browns and oranges; branching normally starts about 3' or more above				
round level; bushy habit to about 20' tall by 15' wide; more showy in most aspects than C. mas; locate				
n full sun to partial shade & moisture retentive well-drained neutral to acidic organic soil; Chinese				
native; Zones 5 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
ornus x Scarlet Fire® ('Rutpink')		liner	10g	
ink Rutgers Hybrid Dogwood		1.5"c	B&B	
ECIDUOUS ORNAMENTAL TREE; profuse dark pink bracts in late May occur at an early age; new		1.75"c	B&B	
liage has purplish tinge which matures to dark green by summer & turns shades of red in fall; 1" red		2"c	B&B	
alls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years;				
esistant to anthracnose & borers; locate in full sun to partial shade & good organic acidic well-drained				
noisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7				
ornus x Venus® ('KN30-8')		2.5"c	B&B	
Vhite Jersey Star ® Dogwood				
ECIDUOUS ORNAMENTAL TREE; profuse 6" diameter white bracts in mid to late May; round red				
rawberry-like fruit in fall; dark green summer foliage turns orange in fall; vigorous upright				
ase-shaped habit to about 20' tall & wide in 20 years & even wider than tall at maturity; resistant to				
owdery mildew, anthracnose & borers; locate in full sun to partial shade & organic well-drained				
noisture retentive acidic soil [C. kousa x C. nuttallii x C. kousa] (Orton) Zones 6 - 8 (9)				
ucommia ulmoides		1.5"c	B&B	
ardy Rubber Tree		1.75"c	B&B	
ECIDUOUS SHADE TREE; inconspicuous sterile flowers; thick waxy serrated dark green summer				
liage develops no interesting fall color; broadly upright habit to about 50' tall by 40' wide at maturity,				
ery tolerant of a wide range of soils, insects & drought; stem die-back has been noticed in some				
cations; locate in full sun & any well-drained soil; native to China; Zones (4) 5 - 7				
agus grandiflora		1.5"c	B&B	
LOW BRANCHED		1.75"c	B&B	
merican Beech		2"c	B&B	
ECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the		2.5"c	B&B	
ee through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter;		3"c	B&B	
dible nuts are an important wildlife food; large wide-spreading tree to about 70' tall & wide (if given		3.5"c	B&B	
pace); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade &		4"c	B&B	
vell-drained organic slightly acidic soils; US native; Zones 4 - 9				
agus sylvatica		1.5"c	B&B	
LOW BRANCHED		1.75"c	B&B	
uropean Beech		2"c	B&B	
ECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually		2.5"c	B&B	
etained for most of if not all winter; smooth medium gray bark; large broadly pyramidal tree to about				
O' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not				
plerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils;				
uropean native; Zones (4) 5 - 7				
inkgo biloba 'Autumn Gold'		1.5"c	B&B	
inkgo; Maidenhair Tree		1.75"c	B&B	
ECIDUOUS CONIFER; selected as a male cultivar that won't fruit (however I've seen plants labeled as		2"c	B&B	
G. with fruit); unique fan-like medium green summer foliage turns clear golden-yellow in fall; more		2.5"c	B&B	
roadly upright than most male cultivars getting about 45' tall by 35' or more wide; highly resistant to		3"c	B&B	
ests & diseases; very tolerant of urban & coastal conditions; may not be as hardy as other cultivars;				
cate in full sun & any soil that drains; Chinese native; Zones (6) 7 - 8 (9)				
inkgo biloba Goldspireâ"¢ ('Fastigiata Blagon')		1"c	15g	
olumnar Ginkgo; Columnar Maidenhair Tree		1.75"c	B&B	
ECIDUOUS CONIFER; ornamentally insignificant flower in April followed by very obnoxious smelling	1	2"c	B&B	
uit on female trees in fall; distinctive 2-lobed medium green summer foliage turns clear bright golden				
ellow in fall; upright columnar habit to about 15' tall by 5' wide in 10 years; female trees produce fruit				
ith a very bad odor when crushed; highly resistant to pests & diseases; tolerant of urban & coastal				
onditions; locate in full sun & any soil with good drainage; thought to be extinct when found in China;				
prehistoric times was native to the US; Zones (3) 4 - 8 (9)				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ginkgo biloba 'Grindstone' / 'Grind Stone Lake'		1.5"c	B&B	
Columnar Ginkgo; Columnar Maidenhair Tree		1.75"c	B&B	
DECIDUOUS CONIFER; ornamentally insignificant flower in April; male selection - no fruit; distinctive		2"c	B&B	
?-lobed medium green summer foliage turns clear bright golden yellow in fall; upright very narrow		2.5"c	B&B	
olumnar habit to about 25' tall by 5' wide in about 15 years; female trees produce fruit with a very bad				
odor when crushed; highly resistant to pests & diseases; tolerant of urban & coastal conditions; locate in				
full sun & any soil with good drainage; thought to be extinct when found in China; in prehistoric times				
was native to the US; Zones (3) 4 - 8 (9)				
Gleditsia triacanthos f. inermis Northern Sentinel® ('JFS			15g	
GMorgenson1')				
Jpright Honeylocust				
DECIDUOUS SHADE TREE; inconspicuous greenish-yellow flowers in mid to late spring; thought to be				
seedless; small dark green compound summer foliage turns golden in fall; provides light dappled shade;				
upright branching to about 50' tall by 25' wide; tolerates urban conditions, ice, soil compaction & salt;				
ocate in full sun & moisture retentive neutral to alkaline soils; US native (Morgenson / Schmidt) Zones				
1 - 8 (9)				
Gleditsia triacanthos f. inermis Skyline® ('Skycole')		1.5"c	B&B	
Thornless Honeylocust		1.75"c	25g	
DECIDUOUS SHADE TREE; virtually seedless; small dark green compound summer foliage turns bright	t	1.75"c	B&B	
olden in fall; provides light dappled shade; upright pyramidal habit to about 20' tall by 15' wide in 10		2"c	B&B	
rears; very tolerant of urban conditions including soil compaction & salt; locate in full sun & moisture		2.5"c	B&B	
retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)		3"c	B&B	
Gymnocaldus dioica (dioicus) Espressoâ, ¢ ('Espresso-JFS')		1.75"c	B&B	
Male Kentucky Coffeetree		2"c	B&B	
DECIDUOUS SHADE TREE; seedless; large doubly compound blue-green summer foliage turns yellow		2.5"c	B&B	
n fall; upright arching habit to about 50' tall by 35' wide; dramatic open structure in winter with each		2.5 C 3"C	B&B	
ree looking different; tolerates high pH, drought & urban conditions; locate in full sun & moist organic		4.5"c	B&B	
oil; US native (Schmidt) Zones 4 - 8		4.5 0	Баь	
		1.75"c	15g	
		1.75 C	159	
Red Hybrid Witchhazel DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February & early March;				
fall foliage can be a mix of yellow, orange & red; broad spreading habit to about 10' tall by 12' wide;				
olerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic				
vell-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8				
			45.0	
Hydrangea arborescens 'Haas Halo'			15g	
Smooth Hydrangea DECIDUOUS FLOWERING SHRUB; pure white lacecap flowers up to 14" diameter all summer from the				
new wood beginning in late June; bushy grower to 5' high & wide; dark glossy bluish-green summer				
oliage turns a variable yellowish to brown in fall; resistant to most pests & diseases; locate in morning un or partial shade & organic well-drained moisture retentive soil of any pH; supplemental moisture				
luring hot dry spells in summer is recommended; eastern US native (Ray) Zones (3) 4 - 9				
			40	
-Hydrangea paniculata 'Limelight' TREE FORM			10g 15g	
ate Panicle Hydrangea			3	
DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark				
reen summer foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about				
8-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in				
outhern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian				
native (PW) Zones 4 - 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Hydrangea paniculata Sweet Summer ('Bokrathirteen')		4'	B&B	
BUSH Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; large greenish-white blooms on sturdy stems from early summer into fall; mature flowers turn pink revealing green & pink flowers at the same time on new wood; dark ireen summer foliage; spreading habit to about 5' tall by 6' wide at maturity; locate in full sun to partial ir afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture tetention; Asian native (Ball) Zones 4 - 9		5'	B&B	
Hydrangea paniculata Vanilla Strawberryâ,,¢ [First Editions®]			15g	
('RENhy') TREE FORM				
Late Panicle Hydrangea  DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn  creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually  appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly  upright to about 7' tall by 5' wide at maturity; branching starts at about 3-4' above the ground from a  single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to  be well-drained, but with good moisture retention; Asian native; Zones 4 - 9				
Hydrangea quercifolia 'Alice' Oakleaf Hydrangea DECIDUOUS FLOWERING SHRUB; large fragrant white pyramidal blooms in June & July on old wood turns pinkish by late summer; dark green summer foliage turns shades of burgundy-red fall foliage; showy tan exfoliating bark; vigorous broadly upright habit to about 6' tall & wide in 10 years; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Dirr) Zones 5 - 9		36"	15g	
Hydrangea quercifolia 'Queen of Hearts' Compact Oakleaf Hydrangea DECIDUOUS FLOWERING SHRUB; masses of 9" white pyramidal blooms appear in early summer on old wood which slowly age to deep pink; flowers held above the foliage & appear a week or more before most other cultivars & remain effective longer; dark green summer foliage turns mahogany-red in fall; an exfoliating bark; compact spreading habit to 6' tall by 9' wide in 10 years; locate in partial or filtered what with rich organic well-drained moisture retentive soil; US native (Pooler / USNA) Zones 5 - 8		36"	15g	
Hydrangea quercifolia Snowflake ('Brido') Dakleaf Hydrangea DECIDUOUS FLOWERING SHRUB; masses of 12-15" tall fragrant double sterile white pyramidal Flowers in late June on old wood turn purplish-pinkish by late summer; dark green oak-like summer Foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to as much as 10' reall & wide if not pruned; locate in partial or filtered shade & rich organic well-drained moisture retentive soil; US native (Aldridge N) Zones 5 - 9		36"	15g	
Hex verticillate 'Winter Red' Female Winterberry Holly DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; large profuse & persistent bright red fruit from early fall into or through winter; use Southern Gentleman' to pollinate; upright rounded habit to about 8' tall & wide; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; US & Canadian native; PHS Gold Metal (Simpson) Zones 3 - 9		36"	15g	
13 Decision Way West represented by:			phone: (21	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
luniperus chinensis 'Keteleeri'		7'	B&B	
yramidal Chinese Juniper		8'	B&B	
VERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually		9'	B&B	
ight blue & male cones tannish; medium green scale-like foliage; narrowly pyramidal habit to about 15'				
all by 5' wide; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9				
lative; zones 4 - 9				
uniperus virginiana 'Canaertii'		8'	B&B	
Eastern Red Cedar		9'	B&B	
VERGREEN ORNAMENTAL CONIFER; showy greenish-blue to bright blue female cones in fall;				
nedium green summer foliage bronzes in winter; pyramid habit reaching about 25' tall by 15' wide; ark green foliage bronzes some in winter; very susceptible to rust; tolerant of drought, air pollution,				
terile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern				
Recented North America; Zones (3) 4 - 9				
lunin anua sinaini ana Karan Bainti		F1	Dan	
l <b>uniperus virginiana 'Green Point'</b> Columnar Eastern Red Cedar		5' 6'	B&B B&B	
FORMATION FOR THE CONTRECT CONTRECT CONTRECT CONTRECT CONTRECTOR C		6 7'	B&B	
vinter in northern range; narrow columnar pyramid habit reaching about 25' tall by 4' wide; tolerant		/ 8'	B&B	
of drought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of			Dub	
any pH; native to eastern & central North America (Hayman) Zones (3) 4 - 9				
luniperus virginiana 'Taylor'		6'	B&B	
Columnar Eastern Red Cedar		7'	B&B	
EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze		Ī	202	
during winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of				
lrought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any				
oH; native to eastern & central North America (Bieberich) Zones (3) 4 - 9				
Koelreuteria paniculata		1.5"c	B&B	
Golden Raintree		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; golden yellow flowers from late June into mid-July yield light		2"c	B&B	
prown seed capsules that look similar to Chinese lanterns; compound dark green summer foliage turns		2.5"c	B&B	
variably yellow to orangish in fall; sparse irregular branching yields irregular rounded heads; mature		3"c	B&B	
trees can get to as much as 40' tall & wide; tolerates most urban conditions; locate in full sun & any		3.5"c	B&B	
vell-drained moisture retentive soil; Asian native; Zones 4 - 8				
₋iquidambar styraciflua Happidazeâ"¢ ('Hapdell')		liner	10g	
American Sweetgum		1"c	15g	
DECIDUOUS SHADE TREE; non-ornamental yellowish-green male flower clusters in mid-spring;				
non-fruiting - mostly; dark green summer foliage turns a lovely maroon in the fall; vigorous pyramidal nabit when young matures to a rounded head at about 70' tall by 50' wide; tolerates clay & compacted				
urban soils; locate in full sun & moist to partially wet organic soils; native to eastern US & Mexico;				
Zones 5 - 9				
			10=	
<b>_iquidambar styraciflua 'Slender Silhouette'</b> Columnar American Sweetgum		1.25"c	10g	
DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer		1.20 0	15g	
foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7'				
vide; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico (Shadow,	)			
Zones (5) 6 - 8 (9)				
iriodendron tulipifera		1.75"c	B&B	
Tuliptree; Tulip Poplar		2.5"c	B&B	
DECIDUOUS SHADE TREE; light orange-green flowers in early June; medium green summer foliage		3"c	B&B	
urns variable shades of yellow in fall; vigorous upright habit to about 80' tall by 40' wide; somewhat		3.5"c	B&B	
veak wooded; locate in full sun or light shade & deep organic well-drained moisture retentive slightly				
cidic soil; not drought tolerant; US native; Zones 4 - 9				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Liriodendron tulipifera Emerald City® ('JFS-Oz')		1.5"c	B&B	
uliptree; Tulip Poplar		1.75"c	B&B	
DECIDUOUS SHADE TREE; light orange-green flowers in early June; significantly glossier darker		2"c	B&B	
green foliage than the species in summer turns clear yellow in fall; uniform upright branching with		2.5"c	B&B	
stronger more open branch angles to about 50' tall by 25' wide; locate in full sun or light shade & deep		3"c	B&B	
organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native (Schmidt)		3.5"c	B&B	
Zones (4) 5 - 9		4"c	B&B	
March and a secret from DAM-14. Object to the		4.5"c	B&B	
Maclura pomifera 'White Shield'		3"c	B&B	
Osage-orange; Hedge-apple DECIDUOUS SHADE TREE; greenish-white insignificant male flowers; seedless; thick leathery dark				
glossy green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 35'				
all & wide; nearly thornless; tolerates wet & alkaline soils; locate in full sun & just about any soil; US				
native (Bieberich) Zones 4 - 9				
Analysis and the sea DACI of the Land		4.5%	DAD	
Maclura pomifera 'Witchita'		1.5"c	B&B	
Osage-orange; Hedge-apple DECIDUOUR SHADE TREE; male flowers aren't ornamentally effective; no fruit; thick glossy summer		1.75"c 2.5"c	B&B B&B	
foliage turns variable yellow in fall; mostly thornless; bushy habit to about 50' tall by 40' wide; tolerates		2.5 C 3.5"C	B&B	
poor, wet or dry soil; resists deer browse; locate in full sun or minimal shade & just about any soil with		3.5 C 4"C	B&B	
reasonable drainage; US native (Pair) Zones 4 - 9		. 0	Dab	
		4 75"-	DAD.	
Magnolia x 'Butterflies'		1.75"c 2"c	B&B B&B	
TREE FORM Yellow Hybrid Cucumbertree Magnolia		2 C	D&D	
DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens,				
rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; single trunk with branches				
usually starting near the ground; locate in full sun to partial shade & well-drained organic moisture				
retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8				
Magnolia v 'Calavy'		1.75"c	B&B	
Magnolia x 'Galaxy' TREE FORM		2"c	B&B	
Hybrid Magnolia			Dab	
DECIDUOUS ORNAMENTAL TREE; profuse 9" lightly fragrant reddish-purple to pink flowers in				
mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; usually single stem with				
oranching starting 3' to 5' above the ground; locate in full sun to light shade & well-drained organic				
slightly acidic soil; PHS Gold Metal [M. kobus var. x liliiflora stellata x M. sprengeri 'Diva'] (USNA /				
(osar) Zones 5 - 9				
Magnolia liliifolia 'Jane'			15g	
Hybrid Lily Magnolia			.09	
DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers with white				
centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer				
foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray				
park; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates				
imited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar &				
deVos / USNA) Zones 3 - 8				
Magnolia loebneri 'Leonard Messel'		4'	15g	
Pink Loebner Magnolia; Pink Star Magnolia				
DECIDUOUS ORNAMENTAL TREE; fragrant purplish-pink star-like flowers in mid-April from purple				
ouds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tal	/			
& almost as wide; locate in full sun to light or dappled shade & deep well-drained neutral to slightly				
acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)				
3 Decision Way West represented by:			phone: (21	5) 221

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
/lagnolia x loebneri 'Merrill'			25g	
hite Loebner Magnolia		4'	10g	
ECIDUOUS ORNAMENTAL TREE; profuse large star-like white flowers in mid-April; broadly upright				
25'+ tall by 30' or more wide; dark green summer foliage gets bronzy-yellow in fall; locate in full sun				
o light or dappled shade & deep well-drained acidic soil with good moisture retention; Asian cross; PHS old Metal [M. kobus x M. stellata] (Arnold Arb) Zones 3 - 8				
/lagnolia x Mercuryâ,,¢ ('NCMX1')			10g	
ink Hybrid Magnolia		1"c	15g	
ECIDUOUS ORNAMENTAL TREE; dark pink buds open to large fragrant lavender-pink cup-shaped owers in mid to late spring & sporadically through summer; showy reddish seeds provide food for a lot				
f animals & birds; dark green summer foliage turns tan in fall in northern range; can be evergreen in				
outhern range; central leader with upright branching to about 60' tall by 35' wide; attracts butterflies;				
olerates high humidity, salt & air pollution; not tolerant of drought or flooding; locate in full sun &				
noist organic well-drained soils of varying acidity (Ranney / Schmidt) Zones 7 - 9				
/lagnolia x 'Rose Marie'		4' spr	15g	
rink Hybrid Magnolia		. 56.	109	
DECIDUOUS ORNAMENTAL TREE; large lightly fragrant rose-pink flower with lighter interior petals				
n late mid to late April & beyond; upright habit to about 20' tall by 10' wide at maturity; dark green				
oliage; tolerant of pollution & urban situations; locate in full sun or light shade & moist organic				
vell-drained soils of varying acidity ['Pink Surprise' x 'Daybreak'] (Ledvina) Zones 4 - 8				
/lagnolia x soulangeana 'Barrington Belle'		1"c	15g	
Vhite Saucer Magnolia		1.5"c	10g	
DECIDUOUS ORNAMENTAL TREE; white flowers with pink centers in early to mid-April before the				
oliage; bushy upright habit to about 25' tall by 20' wide; locate in full sun to light or dappled shade &				
leep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4				
9				
Лagnolia 'Spectrum'		5'	153	
BUSH		6'	B&B	
Hybrid Magnolia		7'	B&B	
DECIDUOUS ORNAMENTAL TREE; profuse 10" lightly fragrant dark pink flowers with light pink nteriors are effective in mid to late spring; broadly upright multi-stemmed habit to about 25' tall &		8'	B&B	
vide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light				
hade & well-drained moisture retentive organic slightly acidic to neutral soil; sister seedling of 'Galaxy'				
M. x liliiflora x M. sprengeri 'Diva'] (USNA / Kosar) Zones 6 - 9				
/lagnolia 'Spectrum'		1"c	15g	
TREE FORM				
Hybrid Magnolia				
DECIDUOUS ORNAMENTAL TREE; profuse 10" lightly fragrant dark pink flowers with light pink				
nteriors are effective in mid to late spring; broadly upright multi-stemmed habit to about 25' tall & vide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light				
hade & well-drained moisture retentive organic slightly acidic to neutral soil; sister seedling of 'Galaxy'				
M. x liliiflora x M. sprengeri 'Diva'] (USNA / Kosar) Zones 6 - 9				
/lagnolia stellata 'Royal Star'			15g	
tar Magnolia		3' spr	10g	
ter Magnond ECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage;		- 36.		
nedium green summer foliage; broad bushy habit to about 15' tall & often slightly wider; locate in full				
un to light or dappled shade & deep well-drained neutral to slightly acidic soil with good moisture				
etention; Japanese native (Vermeulen N) Zones 5 - 8				
3 Decision Way West represented by:			phone: (21	5) 321-/

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

		4'	DOD	
			B&B	
the Manualia	JSH	5'	B&B	
tar Magnolia				
DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foli	age;			
nedium green summer foliage; broad bushy habit to about 15' tall & often slightly wider; locate in fu	11			
un to light or dappled shade & deep well-drained neutral to slightly acidic soil with good moisture				
etention; Japanese native (Vermeulen N) Zones 5 - 8				
Magnolia virginiana		5'	B&B	
	JSH	6'	B&B	
weetbay Magnolia; Swamp Magnolia				
ECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring				
mong the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green				
ummer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wi	de			
n time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt				
olerance; eastern US native; Zones 5 - 9				
/lagnolia virginiana Green Mileâ"¢ ('MVHH')			10g	
weetbay Magnolia; Swamp Magnolia			15g	
ECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring		6'	25g	
mong the foliage; bright red seeds emerge from large tan seed-pods in late summer; long dark glos	-			
emi-evergreen foliage is silvery below & turns yellowish in fall; upright habit to about 35' tall by 15'				
vide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some sai	t			
olerance; eastern US native (Neubauer) Zones 5 - 9				
/lagnolia virginiana Green Mileâ"¢ ('MVHH')		5'	B&B	
	JSH	6'	B&B	
weetbay Magnolia; Swamp Magnolia		7'	B&B	
DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring				
mong the foliage; bright red seeds emerge from large tan seed-pods in late summer; long dark glos	sy			
emi-evergreen foliage is silvery below & turns yellowish in fall; upright habit to about 35' tall by 15'				
vide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some sai				
plerance; eastern US native (Neubauer) Zones 5 - 9				
/lagnolia virginiana Moonglow® ('Jim Wilson')		2"c	25g	
TREE FO	RM			
Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia				
VERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the				
pecies from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark				
reen summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 3	35'			
all by 20' wide; branching starts about 3' above the ground; deer browse resistant; tolerant of air				
ollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US nativ	/e;			
HS Gold Metal (Cully) Zones 5 - 9				
Malus Raspberry Spear® ('JFS KW213MX')		2"c	25g	
columnar Pink Crabapple		Ī •	-09	
ECIDUOUS ORNAMENTAL TREE; deep pink buds open to magenta-pink flower in mid-spring;				
ersistent 1/2" bright red fruit is loved by birds; purple summer foliage turns orange-ish in fall; upri	ght			
abit to about 20' tall by 8' wide; excellent disease resistance to all 4 problems; tolerant of urban				
onditions & drought; locate in full or mostly sunny areas & moisture retentive well-drained acidic s	oil			
Schmidt) Zones 4 - 8				
B Decision Way West represented by:			phone: (21	5) 321-4

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Malus Royal Raindrops® ('JFS-KW5')		liner	10g	
Pink Crabapple			15g	
DECIDUOUS ORNAMENTAL TREE; fragrant single deep pink flower in mid-spring; persistent 1/4"		1.5"c	B&B	
right red fruit; purple cut-leaf summer foliage turns shades of orange & purple in fall; broadly oval		1.75"c	B&B	
eads to about 20' tall by 15' wide; very good disease resistance; tolerant of urban conditions & drough	· ·	2"c	25g	
ocate in full or mostly sunny areas & moisture retentive well-drained acidic soil [M. transitoria]		2"c	B&B	
Schmidt) Zones 4 - 8		2.5"c	B&B	
		3"c	B&B	
Malus Ruby Dayze® ('JFS KW139MX')		1.5"c	B&B	
Pink Crabapple		2.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; abundant magenta-pink flowers in mid to late spring; persistent				
1/4" bright red fruit in fall; new foliage opens purplish-red before becoming more bronze by summer				
hen shades of orange & red in fall; compact upright oval habit to about 20' tall by 15' wide; excellent				
disease resistance to all 4 problems; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil(Schmidt)Zones 4 - 8				
in mostry suring areas & moisture retentive wen-dramed actuit son (scrimid). Zones 4 - 0				
Vlalus Show Timeâ,,¢ ('Shotizam')		1.5"c	B&B	
Red Crabapple		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; red buds open to fuchsia-red flowers; abundant red 5/8" fruit		2"c	B&B	
hroughout the fall; broadly upright habit to 18' high by 15' wide; purplish-green summer foliage turn a	n			
mpressive gold in fall; excellent disease resistance; tolerant of urban conditions if not allowed to dry				
out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil (Zampini / Lake				
County) Zones 4 - 8				
Malus Snow Chrystal® ('JFS KW218MX')		1.5"c	10g	
White Crabapple				
DECIDUOUS ORNAMENTAL TREE; pink buds open to abundant white flowers in mid to late spring;				
persistent 1/4" yellow to orange-yellow fruit; dark green summer foliage; compact pyramidal habit to				
about 15' tall by 12' wide; excellent disease resistance to all 4 problems; tolerant of urban conditions if				
not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil				
(Schmidt) Zones 4 - 8				
Valus 'Snowdrift'		2"c	B&B	
White Crabapple		15."c	15g	
DECIDUOUS ORNAMENTAL TREE; pink buds open to abundant lightly fragrant 1.25" dia white				
flowers in mid/late spring; 1/2" sporadic orange-yellow fruit with a red cheek; dark green summer				
foliage turns golden-yellow in fall; rounded habit to about 20' tall & wide; some susceptibility to scab &				
ireblight; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas &				
noisture retentive well-drained acidic soil (Cole N) Zones 4 - 8				
Malus Sparkling Sptiteâ,¢ ('JFS-KW207')		2.5	B&B	
Owarf White Crabapple		1.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; pink buds open to a multifude of white flowers in mid/late spring;		1.75"c	B&B	
/4" profuse golden yellow fruit becomes more orange with maturity & lasts into winter; dark green		2"c	B&B	
ummer foliage; rounded habit to about 12' tall & wide; usually grafted on a standard; excellent				
esistance to all 4 diseases; tolerant of urban conditions if not allowed to dry out; locate in full or mostly	/			
sunny areas & moisture retentive well-drained acidic soil (Warren / Schmidt) Zones 4 - 8				
Malus Sugar Tyme® ('Sutyzam')		1.5"c	B&B	
White Crabapple		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; pale pink buds open to profuse fragrant white flowers annually in		2"c	B&B	
nid-spring; persistent 1/2" red fruit; dark green summer foliage turns bronzy in fall; upright oval habi		2.5"c	B&B	
o about 20' tall by 15' wide; slight susceptibility to scab, mildew & fireblight; tolerant of urban				
conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive				
well-drained acidic soil (Lake County N) Zones 4 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME		AVAIL.	SIZE	ROOTS	QNTY
Metasequoia glyptostroboides			12 - 14'	B&B	
	OW BRANCHED		14 - 16'	B&B	
Dawn Redwood					
DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; lar	ge pyramidal				
habit to 100' or more tall by 25' or more wide; branching starts at or near the ground	; tolerates				
somewhat wet & all but highly alkaline soils; locate in full sun & moisture retentive ne	utral to acidic				
organic soil, PHS Gold Metal; Chinese native; Zones 5 - 8					
Metasequoia glyptostroboides Amber Glowâ"¢ ('WAH-08A0	3')		7'	B&B	
Golden Dawn Redwood	- ,		8'	B&B	
DECIDUOUS ORNAMENTAL CONIFER; new spring foliage opens with a hint of burg	gundy before		12 - 14'	B&B	
quickly turning bright gold by summer; foliage doesn't burn in full sun; fall foliage tu			8' / 2"c	25g	
coppery-orange before dropping; rapid growing upright pyramidal habit to about 35					
about 25 years; no pest or disease problems; tolerates somewhat wet & all but highly	alkaline soils;				
locate in full sun & moisture retentive neutral to acidic organic soil, Chinese native; Zo					
Metasequoia glyptostroboides Jade Prince® ('JFS-PN3Lega	cv')		6'	B&B	
Columnar Dawn Redwood	Cy /		6 7'	B&B	
DECIDUOUS CONIFER; foliage emerges chartreuse in spring maturing to bright gre	en by summer then		7 8'	B&B	
rusty-orange in fall; rapid growing narrowly pyramidal habit to about 70' tall by 25'			9'	B&B	
with a dominent central leader; branching starts at or near the ground; tolerates som	-		9	Dab	
but highly alkaline soils; locate in full sun & moisture retentive neutral to acidic organ					
native (Schmidt) Zones 5 - 8	no son, Chinese				
			1 ["-	Dob	
Nyssa sylvatica			1.5"c	B&B	
Black Gum; Black Tupelo	mmar faliaga turna		1.75"c	B&B	
DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green sur	=		2"c	B&B	
brilliant shades of red, orange &/or yellow in fall; pyramidal heads in youth usually b			2.5"c	B&B	
wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; loca			3"c	B&B	
partial shade & moisture retentive well-drained acidic soils; can tolerate temporary s	tanding water; US		3.5"c	B&B	
native; Zones 4 - 9			2"c hvy	25g	
Nyssa sylvatica Green Gableâ,¢ ('NSUHH')				25g	
Black Gum; Black Tupelo			1"c	15g	
DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-r			1.5"c	B&B	
fall; dense upright pyramidal heads to about 50' tall & half as wide; superior resistan	•		1.75"c	B&B	
taproot; fall transplanting hazard; locate in full sun to partial shade & moisture reter			2"c	B&B	
acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Z	ones 5 - 9		3"c	B&B	
			3.5"c	B&B	
Nyssa sylvatica Northern Splendorâ,¢ ('NSMTF')			1.5"c	B&B	
Black Gum; Black Tupelo			1.75"c	B&B	
DECIDUOUS SHADE TREE; insignificant white spring flowers; black fruit in fall; glo	ssy dark green		2"c	B&B	
summer foliage turns brilliant shades of red & orange in fall; pyramidal heads in you	th usually become				
wide-spreading to about 40' tall by 25' wide at maturity; attracts birds; tolerates wet	soil; intolerant of				
fall transplanting; taproot; locate in full sun to partial shade & moisture retentive aci	dic soils that don't				
stay wet; selection from FL seedlings; US native (Moon) Zones 4 - 9					
Nyssa sylvatica 'Wildfire'			3"c	B&B	
Black Gum; Black Tupelo					
DECIDUOUS SHADE TREE; bright red new leaves ,veins & petioles contrasts with ma	ature dark green				
foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less su	sceptible to leaf				
spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture	retentive				
well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy	/) Zones 4 - 9				
				(0.4	=\ 004

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Ostrya virginiana		1.5"c	B&B	
merican Hop Hornbeam; American Ironwood		1.75"c	B&B	
HADE TREE; bright dark green summer foliage turns yellowish in fall; upright habit to about 35' tall		2.5"c	B&B	
by 25' wide; drought tolerant; fall transplanting hazard; locate in full sun to partial shade & most				
neutral to acidic well-drained soils; North American native; Zones (3) 4 - 9				
Parrotia persica		2.5"c	B&B	
Persian Ironwood; Persian Witchhazel		3"c	B&B	
DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring		3.5"c	B&B	
creating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before		4"c	B&B	
urning bright glossy green by summer then shades of red & orange in late fall; exfoliating bark on older				
branches; oval or rounded upright habit to about 30' tall by 25' wide; branching starts abut 3-4' above				
the ground; tolerates urban conditions; locate in full sun to partial shade & most well-drained slightly				
acidic soil; PHS Gold Metal; Asian native; Zones (4) 5 - 8				
Parrotia persica Persian Spireâ, ('JLColumnar')		2"c	B&B	
Compact Columnar Persian Ironwood				
DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring				
reating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before				
turning bright glossy green by summer then shades of red & orange in late fall; exfoliating bark on older				
pranches; upright to columnar habit to about 25' tall by 10' wide; tolerates urban conditions; locate in				
ull sun to partial shade & most well-drained slightly acidic soil; PHS Gold Metal; Asian native (Lewis /				
JLPN) Zones (4) 5 - 8				
Physocarpus opulifolius Little Devilâ,¢ [First Editions®] ('Donna May')		36" head	15g	
TREE FORM				
Compact Purple Ninebark				
DECIDUOUS FLOWERING SHRUB; small pinkish-white flowers in late spring; dark reddish-purple				
foliage; very compact habit to 4' tall & wide; disease & pest resistant; exfoliating bark shows dark &				
light tan longitudinal striations; spreads by suckers; tolerates wet, dry & alkaline soils, drought & Black				
Nalnut; locate in full sun or partial shade & most well-drained soils; US native; Zones (2) 3 - 7 (8)				
Platanus x acerifolia Exclamationâ,¢ ('Morton Circle')		1.5"c	B&B	
_ondon Planetree		1.75"c	B&B	
DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through		2"c	B&B	
winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to		2.5"c	B&B	
about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban		3"c	B&B	
conditions; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis]		3.5"c	B&B	
Ware / Morton Arb.) Zones (5) 6 - 8 (9)		4"c	B&B	_
Platanus occidentalis Silverwoodâ,¢ ('Grenickel')		2"c	B&B	
American Sycamore; American Planetree				
DECIDUOUS SHADE TREE; inconspicuous male flowers are yellowish & female reddish; medium green				
summer foliage turns tan to yellowish in fall; fuzzy tan fruit balls appear in fall; selected for whiter patches of bark, better fall color & stronger branching; upright habit when young matures to large				
proad heads headed tree to as much as 100' tall & wide; tolerates wet soil, air pollution, deer & Black Walnut; locate in full sun & a wide range of moisture retentive soils; native from the Midwest through				
vvainut; locate in ruli sun & a wide range of moisture retentive solls; native from the ivildivest through coastal Canada, US & Mexico (Greenleaf N) Zones 4 - 9				
Prunus x 'Okame'		4 5"-	10g	
Pink Bell-flowered Cherry; Taiwan Cherry		1.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; bright rosy-pink flowers in late March or early April for an extended period if not freeze demand; dark green summer foliage turns shades of red & grange in fall:		1.75"c	B&B	
extended period if not freeze damaged; dark green summer foliage turns shades of red & orange in fall;		2"c	25g	
glossy reddish-brown bark; upright oval heads to about 30' tall & wide at maturity; locate in full sun &		2"c	B&B	
ny well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] (Ingram) Zones 6 - 8		2.5"c	B&B	
		3"c	B&B	
		3.5"c	B&B	
		4.5"c	b	
3 Decision Way West represented by:			phone: (21	5) 321-

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus sargentii Pink Flair® ("JFS-KW58')		1.5"c	B&B	
Sargent Cherry		1.75"c	B&B	
DECIDUOUS ORNAMENTAL TREE; fragrant bright pink flowers in early May; dark green disease				
resistant summer foliage turns brilliant shades of orange-red in fall; upright habit to 25' by 15' wide;				
glossy reddish-brown bark; heat & drought tolerant; locate in full sun & any well-drained soil; Japane.	se			
native (Schmidt) Zones (3) 4 - 8				
Pyrus x triploidata Chastity® ('NCPX2')		3"c	B&B	
Flowering Pear				
DECIDUOUS ORNAMENTAL TREE; pink buds open to profuse white flowers in mid April; dark glossy				
green summer foliage turns orange to red in fall with purple highlights; broadly upright habit to about				
35' tall by 25' wide; very resistant to fire blight; triploid; fruit is highly infertile; locate in full sun or lig				
shade & just about any soil with reasonable drainage; tolerant of drought & urban conditions; Chinese				
native (Ranney) Zones 5 - 8				
Quercus alba		1.5"c	B&B	
White Oak		1.75"c	B&B	
DECIDUOUS SHADE TREE; dark green summer foliage turns variable shades of brown to red; large		2"c	B&B	
repreading long-lived shade tree to about 60' tall with greater width; important wildlife food source; fall the state of t		2.5"c	B&B	
ransplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results	S;	3"c	B&B	
ocate in full sun & acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9		3.5"c	B&B	
		4"c	B&B	
		4.5"c	B&B	
Quercus bicolor		1.5"c	B&B	
Swamp White Oak		1.75"c	15g	
DECIDUOUS SHADE TREE; dark green rounded-lobed summer foliage is usually a good yellow in fall		1.75"c	B&B	
out can also be reddish-purple; deeply furrowed & flaking bark; broad rounded heads to about 50' or		2"c	25g	
more tall with similar width; important wildlife food source; fall transplant hazard, however, if dug		2"c	B&B	
before leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US &		2.5"c	B&B	
Canada; Zones 4 - 8		3"c	B&B B&B	
Sanada, 20165 4 - 0		3.5"c 4"c	B&B	
		4.5"c	B&B	
Quercus bicolor American Dream® ('JFS KW12')		1.75"c	B&B	
Swamp White Oak		2"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; dark green		2.5"c	B&B	
rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply				
furrowed & flaking bark; broadly pyramidal heads to about 50' tall by 40' wide; increased resistance to	o			
anthracnose & powdery mildew; tolerates drought; important wildlife food source; fall transplant				
hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in				
full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; native to US	&			
Canada; Zones 4 - 8				
Quercus bicolor Beacon® ('Bonnie & Mike')		1.75"c	B&B	
Columnar Swamp White Oak				
DECIDUOUS SHADE TREE; dark green rounded-lobed summer foliage turns a good yellow in fall				
before turning tawny brown by winter; deeply furrowed & flaking bark; strong upright branching to				
about 40' tall by 15' wide; important wildlife food source; fall transplant hazard, however, if dug befor				
leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to	0			
well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US & Canada;				
Zones 4 - 8				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Quercus bicolor Sun Breaker® ('Green Nova')		1.5"c	B&B	
Swamp White Oak		1.75"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; dark glossy green		2"c	B&B	
rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply		2.5"c	B&B	
furrowed & flaking bark; broadly pyramidal heads to about 50' tall by 40' wide; tolerates drought;				
important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly				
hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil	;			
cannot take constantly wet soils; native to US & Canada; Zones 4 - 8				
Quercus coccinea		1.5"c	B&B	
Scarlet Oak		1.75"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; deeply cut dark glossy		2.5"c	B&B	
green summer foliage turns dark red in late fall; pyramidal habit to about 70' tall by 40' wide;		3"c	B&B	
important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly		3.5"c	B&B	
hydrated it has better survival results; locate in full sun & acidic well-drained soil; native to US & Canada; Zones 4 - 9		4.5"c	B&B	
Quercus imbricaria		1.5"c	B&B	
Shingle Oak; Laurel Oak		1.5 C	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; long narrow dark glossy	,	2"c	B&B	
leaves turn yellowish-brown to reddish in fall; upright to rounded habit to about 60' tall & about as		2.5"c	B&B	
wide; important wildlife food source; tolerates drought & Black Walnut; fall transplant hazard,		3"c	B&B	
however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun &		3.5"c	B&B	
moist well-drained acidic soil; US native; Zones (4) 5 - 8		4"c	B&B	
		4.5"c	B&B	
Quercus x macdanielli Heritage® ('Clemons')		1.5"c	B&B	
Jpright Hybrid Oak		1.75"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in May; glossy dark green tatter		2"c	B&B	
and mildew resistant foliage which turns yellowish brown in fall; vigorous broadly upright to		3"c	B&B	
pyramidal habit to about 60' tall by 45' wide; retains central leader; important wildlife food source; fall		3.5"c	B&B	
transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results,		4"c	B&B	
locate in full sun & most acidic to slightly alkaline soils [Q. macrocarpa x Q. robur] (Cully) Zones 4 - 7				
(8)				
Quercus macrocarpa		1.5"c	B&B	
Burr Oak; Mossycup Oak		2.5"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; bright green summer		3"c	B&B	
foliage turns variable shades of yellow-brown in fall; branches often have corky horizontal "wings";		3.5"c	B&B	
irregular open broadly spreading heads to about 70' tall & often wider; fall transplant hazard;		4"c	B&B	
important wildlife food source; tolerates drought, wet, dry & clay soil & some urban conditions; fall				
transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results, locate in full sun & moist to well-drained alkaline to acidic soil; native to US & Canada; Zones 3 - 8				
Quercus muehlenbergii		1.75"c	B&B	
Chinkapin Oak; Yellow Chestnut Oak		2"c	B&B	
DECIDUOUS SHADE TREE; non ornamental yellowish-green catkins in April; glossy light green		2.5"c	B&B	
summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; wide spreading habit to about 50' tall with greater spread; important wildlife food source; tolerates drought; fall	J	3"c	B&B	
rabit to about 50-tail with greater spread; important whome food source; tolerates drought; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results,		3.5"c	B&B	
iransplant nazard, nowever, ir dug before lear drop & thoroughly nydrated it has better sur vival results, locate in full sun & alkaline soil with adequate moisture; eastern & central US native; Zones (4) 5 - 7		4.5"c	B&B	
Quercus rubra			25g	
Northern Red Oak		1.5"c	B&B	
DECIDUOUS SHADE TREE; dark green summer foliage turns russet to bright red in fall; large grower		1.75"c	B&B	
to about 70' tall & wide; fall transplant hazard; important wildlife food source; fall transplant hazard,		2"c	B&B	
however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun &		2.5"c	B&B	
well-drained neutral to acidic soil; some success to coastal areas; native to US & Canada; Zones (3) 4 - 7	'	3"c	B&B	
		3.5"c	B&B	
13 Decision Way West			phono: (21	5) 004

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
		4"c	B&B	
		4.5"c	B&B	
uercus shumardii		1.5"c	B&B	
outhern Red Oak		1.75"c	B&B	
ECIDUOUS SHADE TREE; non ornamental greenish catkins in April; shiny dark green summer		2"c	B&B	
oliage with spiny lobes turns a pretty good red in fall; pyramidal heads in youth become about as broad is tall when mature reaching about 60' tall by 40' wide; important wildlife food source; tolerates brought, dry soil & air pollution; fall transplant hazard, however, if dug before leaf drop & thoroughly gydrated it has better survival results; locate in full sun & well-drained soil; southeastern US native; dones 5 - 9		2.5"c	B&B	
Quercus x warei Kindred Spiritâ, ¢ ('Nadler')		2"c	25g	
LOW BRANCHED		2"c	B&B	
Columnar Hybrid English Oak DECIDUOUS ORNAMENTAL TREE; dark green summer foliage with silvery undersides turns shades of vellow & bronze in fall; narrow columnar habit to about 40' tall by 8' wide; drought & moisture olerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before eaf drop & thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Tones 4 - 8		1.5"c hvy	15g	
ໃuercus x warei Regal Prince® ('Long')		1.75"c	B&B	
Columnar Hybrid English Oak		2"c	B&B	
DECIDUOUS ORNAMENTAL TREE; non ornamental yellowish-green catkins in April; leathery mildew resistant dark green foliage above & light green below becomes yellowish in fall; strong narrow upright habit to about 60' tall by 25' wide; resists wind & ice damage; tolerates drought; important wildlife food ource; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better urvival results; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. picolor] (Cully) Zones 4 - 8		2.5"c	B&B	
Salix alba 'Tristis' Golden Weeping Willow; Niobe Weeping Willow DECIDUOUS SHADE TREE; early flowering from upright catkins (aka Pussy Willows); long narrow breen foliage is silvery below & breaks bud in early spring & turns yellow in fall; golden young branches breetive all winter; rapid grower with gracefully arching heads to about 50' tall by 40' wide; very weak brooded; locate in full sun & moisture retentive organic neutral to acidic soil; native to Europe & Asia; brones 2 - 8 (9)		4.5"c	B&B	
Styrax japonicus 'Evening Light'		1.5"c	B&B	
Purple Japanese Snowbell DECIDUOUS ORNAMENTAL TREE; large white pendulous lightly fragrant flower clusters in early June Decinority of the contrasts beautifully with the dark foliage; bushy upright habit to about 10' tall by 8' wide in 10 years; Deathery chocolate-burgundy foliage on reddish stems turns greenish-purple by mid-summer; best Designed of the contract		1.75"c	B&B	
Styrax japonicus 'Fragrant Fountain'			15g	
Veeping Japanese Snowbell DECIDUOUS ORNAMENTAL TREE; profuse fragrant white flowers in May & June; upright leader with trongly weeping side branches creates a fairly narrow profile to about 6' tall by 3-4' wide; improved olden fall foliage over the species; locate in full sun or partial shade (best) & deep organic well-drained noisture retentive acidic soil; eastern Asian native (Crispin) Zones 5 - 7 (8)				
			phono: (21)	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNT
Styrax japonicus Nightfallâ"¢ ('JFS 6SJ')			15g	
Veeping Purple Snowbell				
DECIDUOUS ORNAMENTAL TREE; white flowers in May & June contrast with the dark purple spring				
foliage that retains most of it's purple color through summer; compact weeping to about 10' tall by 6'				
wide, but varies with staking; locate in full sun or partial shade (best) & deep organic well-drained noisture retentive acidic soil; eastern Asian native (Warren / Schmidt) Zones 5 - 7 (8)				
Styrax japonicus 'Spring Showers'		2"c	B&B	
Japanese Snowbell				
DECIDUOUS ORNAMENTAL TREE; fragrant white pendulous flower clusters with golden centers in				
early to mid-June; upright or conical habit to about 12' tall by 8' wide in 10 years; fine textured dark				
green summer foliage turns light yellow in fall; resists twig dieback & lack of uniformity typical of seedlings; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic				
soil; eastern Asian native (Reed / USNA) Zones 5 - 8				
			45	
Syringa meyeri 'Palibin' BUSH			15g	
Dwarf Korean Lilac				
DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May;				
compact spreading mound to 4' high by 6' wide; locate in full sun or light shade & well-drained organic				
oil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7				
Syringa meyeri 'Palibin'		36"	25g	
TREE FORM		36 - 42" spr	_	
Dwarf Korean Lilac		42 - 48" spr		
DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May;		48 - 54" spr	B&B	
compact spreading mound to 4' high by 6' wide; branching starts 3-4' above the ground on a single		54 - 60" spr	B&B	
stem; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia;				
PHS Gold Metal; Zones 3 - 7				
Syringa pubescens ssp. patula 'Miss Kim'			15g	
BUSH				
Manchurian Lilac				
DECIDUOUS FLOWERING SHRUB; dark purple buds open to masses of very fragrant light lavender				
blooms with lighter centers in mid to late May that may be cut; dark green pointed summer foliage turns				
reddish-burgundy in fall; compact rounded habit to 6' tall by 5' wide; attracts butterflies &				
hummingbirds; resists deer browse; locate in full sun or light shade & well-drained organic soil of any bH; native to northeastern Asia; Zones 4 - 7				
Syringa reticulata 'Ivory Silk' CLUMP		5' 6'	B&B 15g	
Japanese Tree Lilac		6'	25g	
DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young		6'	B&B	
age; upright oval heads to 25'; plants cut back at ground allowing multiple trunk to form; locate in full		7'	B&B	
sun or light shade & well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan				
V) Zones 3 - 7				
Syringa reticulata 'Ivory Silk'		1.5"c	B&B	
TREE FORM		1.75"c	B&B	
Japanese Tree Lilac		2"c	B&B	
DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young		2.5"c	B&B	
age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate		3"c	B&B	
in full sun or light shade & well-drained organic soil of any pH; Japanese native; PHS Gold Metal				
(Sheridan N) Zones 3 - 7				
2 Decision Way West			ohono: (21	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa reticulata subsp. pekinensis Great Wall® ('WFH2')			10g	
Pekin Lilac		1.5"c	B&B	
DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in mid to late June; small brown		2.5"c	B&B	
non-ornamental seed; dark glossy green foliage turns shades of gold in fall; cherry-like exfoliating bark;		3"c	B&B	
broadly upright habit to about 20' tall by 12' wide; locate in full sun or minimal shade & well-drained		3.5"c	B&B	
organic soil close to neutral pH; northern Chinese native (Klyn) Zones 4 - 7				
Faxodium distichum var. distichum		10 - 12'	B&B	
Common Bald Cypress		12 - 14'	B&B	
DECIDUOUS CONIFER; globular cones of about 1" dia; yellowish-green needles turn brown in fall;				
byramidal habit to about 100' or more tall by 50' or more wide; tolerant of urban situations with little				
water & compacted soils as well as wet tidal areas; alternate branching (opposite of Metasequoia);				
locate in full sun or minimal shade & moist to well-drained acidic soils; US native; Zones 4 - 11				
Faxodium distichum var. distichum Lindsey's Skywardâ, ¢ ('Skyward')		8'	B&B	
Compact Columnar Common Bald Cypress		9'	B&B	
DECIDUOUS ORNAMENTAL CONIFER; non-ornamental flower in early spring; medium green spring		10 - 12'	B&B	
foliage darkens by summer then orange to coppery color in fall for an extended period; textured coppery	,			
to bronze bark; narrow compact narrowly pyramidal habit to about 30' tall by 10' wide; does not				
develop "knees"; tolerant of urban situations with little water & compacted soils as well as wet tidal				
areas; locate in full sun or minimal shade & moist to well-drained acidic soils; US native; Zones 5 - 9				
Taxodium distichum var. distichum Shawnee Braveâ, ¢ ('Mickelson')		7'	B&B	
Columnar Common Bald Cypress		8'	B&B	
DECIDUOUS ORNAMENTAL CONIFER; non-ornamental flower in early spring; medium green spring		9'	B&B	
foliage darkens by summer then turns orange to coppery-brown in fall for an extended period; textured		10 - 12'	B&B	
coppery to bronze bark; narrow columnar habit to as much as 75' tall by 25' wide at maturity; tolerant				
of urban situations with little water & compacted soils as well as wet tidal areas; locate in full sun or				
minimal shade & moist to well-drained acidic soils; US native; Zones 4 - 11				
Taxodium distichum var. imbricarium Debonair® ('Morris')		12 - 14'	B&B	
Columnar Pond Bald Cypress; Columnar Pond Cypress		14 - 16'	B&B	
DECIDUOUS ORNAMENTAL CONIFER; long green deciduous needles turn reddish in fall; lateral				
branches are semi-pendulous giving it a graceful appearance; upright habit to about 60' tall by 25'				
wide; more tolerant of compacted soils & urban situations with little water than T. d. var. distichum;				
locate in full sun or minimal shade & moist to well-drained acidic soils; PHS Gold Metal; US native				
(Cully) Zones (4) 5 - 8 (9)				
Taxodium distichum var. imbricarium 'Nutans'		7'	B&B	
Columnar Pond Bald Cypress; Columnar Pond Cypress		8'	B&B	
ORNAMENTAL CONIFER; fairly narrow upright habit; short pendulous needles are held closely to the		9'	B&B	
stem giving a light airy appearance; slow to moderate grower; bright green summer foliage turns		10 - 12'	B&B	
bright orange in fall; likes wet soils; grows to 35' tall; locate in full sun or minimal shade & moist to				
well-drained acidic soils; more tolerant of compacted soils & urban situations with little water than T. d.				
var. distichum; US native; Zones (4) 5 - 9 (10)				
Гhuja x 'Green Giant'			25g	
Hybrid Western Arborvitae; Hybrid Giant Arborvitae		5'	B&B	
EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrow conical habit to about		5.5'	10g	
60' tall by 20' wide at maturity; very fast grower - up to 5' per year; minimal pest or disease problems;		6'	B&B	
variable deer browse resistance; tolerant of coastal exposure but not persistent drought; locate in full		6.5'	15g	
sun or light shade & moist to well-drained soil of varying acidity; PHS Gold Metal [T. standishii x T.		7'	B&B	
plicata] Asian / US cross (Poulsen) Zones 5 - 8		8'	B&B	
		9'	B&B	
		10 - 12'	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
huja occidentalis 'Hetz Wintergreen' / 'Hetz's Winter Green'		3.5'	15g	
Eastern Arborvitae; White Cedar				
VERGREEN ORNAMENTAL CONIFER; glossy dark green foliage with little to no winter bronzing;				
igorous narrowly pyramidal habit with dominant central leader to about 25' tall by 8' wide; tolerant of				
ir pollution & Black Walnut; resists ice damage; locate in full sun or light shade & most well-drained				
noisture retentive soils with acidity in the neutral range; native to eastern US & Canada [T. o.				
Pyramidalis' x T. o. 'Elegantissima'] (Hetz) Zones 3 - 7				
huja occidentalis 'Techney'		3.5'	15g	
Mission Arborvitae; Mission White Cedar				
VERGREEN ORNAMENTAL CONIFER; dark green summer foliage does not bronze in winter; interior				
pliage has above normal tendency not to brown; columnar or upright pyramidal habit to about 10' tall				
y 5' wide in 10 years; tolerates clay soil, air pollution & Black Walnut; locate in full sun or light shade &				
vell-drained moisture retentive soil that's neutral to slightly alkaline; native to eastern US & Canada;				
ones (2) 3 - 7				
ilia americana 'Redmond'		1.5"c	B&B	
American Linden; Basswood		1.75"c	B&B	
DECIDUOUS SHADE TREE; fragrant but inconspicuous pale yellow flowers in late June; dark green		2"c	B&B	
ummer foliage turns yellowish-green in fall; dense pyramidal head to 80'; locate in full sun to partial		2.5"c	B&B	
hade & most moist organic well-drained soil; US native (Plumfield Ns) [T. americana x T. euchlora] Cones (3) 4 - 7 (8)				
		- 11 -		
ilia cordata 'Greenspire'		3"C	B&B	
ittleleaf Linden		1.75"c	B&B	
DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns rellow in fall; distinct pyramidal heads reaching 60' tall & half or more as wide; liked by Japanese		2"c	B&B	
Reetles; very tolerant of urban conditions; locate in full sun & most soils; native to Europe (Flemer)		2.5"c	B&B	
Cones (3) 4 - 7				
Tilia tomentosa Sterling Silver® ('Sterling')		2.5"C	B&B	
illver Linden		1.5"c	B&B	
DECIDUOUS SHADE TREE; fragrant creamy-yellow flowers in late June are not showy; green summer pliage significant tomentose below is ornamental, especially in the wind; vigorous grower with		1.75"c	B&B B&B	
pyramidal head to about 50' tall & half or more as wide; variable golden fall foliage; attracts		2"c 3"c	B&B	
ollinators; resists pests & Jap. Beetles; tolerates urban conditions, heat & drought; locate in full sun		3 0	DQD	
vith moist well-drained soils; native to Europe & western Asia (Wandell) Zones 4 - 8				
Jimus americiana 'Jefferson'		3"c	B&B	
American Elm		3.5"c	B&B	
NTCTOUTENT DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on		4"c	B&B	
National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates		. 0	20.2	
rought, air pollution & black walnuts; highly resistant to Dutch elm disease; locate in full sun or light				
hade & moist or wet to well-drained soil that's widely pH & salt tolerant; native to US & Canada				
Townsend / NPS & USNA) Zones 4 - 7				
Jimus americiana 'Princeton'		2"c	B&B	
American Elm		2.5"c	B&B	
DECIDUOUS SHADE TREE; green summer foliage turns yellowish in fall; upright habit with arching		3"c	B&B	
ranches to about 75' tall by 50' wide; excellent lawn or shade tree; resistant to Dutch Elm disease but		3.5"c	B&B	
ot most other problems; tolerates drought, salt, air pollution & black walnuts; locate in full sun or light		4"c	B&B	
hade & moist or wet to well-drained soil of any pH; native to US & Canada (Flemer) Zones 3 - 9		4.5"c	B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Jimus x 'Frontier'		1.75"c	B&B	
lybrid Elm		2"c	25g	
DECIDUOUS SHADE TREE; rarely flowers or fruits; small green summer foliage turns reddish-purple		2"c	B&B	
n fall; pyramidal to columnar habit to about 25' tall by 15' wide in 20 years; high resistance to Dutch		2.5"c	B&B	
elm disease & moderate resistance to elm leaf beetle & highly tolerant of elm yellows; good choice for		3"c	B&B	
ırban locations; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH &		3.5"c	B&B	
salt tolerant [U. carpinifolia x U. parvifolia] (Townsend / USNA) Zones 4 - 10		4"c	B&B	
		4.5"c	B&B	
Jimus parvifolia Allee® ('Emer II'; 'Emerald Vase')		3"c	B&B	
_acebark Elm; Chinese Elm		3.5"c	B&B	
DECIDUOUS SHADE TREE; small insignificant reddish-green flower in late summer yield thin samaras				
in fall; glossy dark green summer foliage turns yellowish &/or reddish-purple in fall; irregular patches				
of gray, green, orange & brown exfoliating bark; upright arching heads to about 50' tall by 40' wide;				
resistant to drought, Dutch Elm disease & elm leaf beetle; tolerant of salt & urban conditions; locate in				
full sun or light shade & moist or wet to well-drained soil of any pH; Asian native; Zones (5) 6 - 9				
Jimus parvifolia 'Burgundy'		1.5"c	B&B	
Lacebark Elm; Chinese Elm		1.5 C	B&B	
Lacebal K.E.IIII, CHIIIese EIIII DECIDUOUS SHADE TREE; small insignificant reddish-green flower in late summer yield thin samaras		3"c	B&B	
n fall; glossy dark green summer foliage turns red to yellow to pinkish in fall; very showy irregular		3.5"c	B&B	
patches of gray, green, orange & brown exfoliating bark; upright rounded heads to about 60' tall by 40'		3.5 C 4"C	B&B	
vide; resistant to drought, Dutch Elm disease & elm leaf beetle; tolerant of salt & urban conditions;		4.5"c	B&B	
ocate in full sun or light shade & moist or wet to well-drained soil of any pH; Asian native (Dirr) Zones		4.5 0	DQD	
ocate in fair surfor fight shade a moist or wet to wen-drained son or any pri, Asian hative (Diff) Zones 7 - 9				
Jimus parvifolia 'Small Fry'		2"c	B&B	
Compact Lacebark Elm; Compact Chinese Elm		3"c	B&B	
DECIDUOUS SHADE TREE; small insignificant reddish-green flower in late summer yield thin samaras		3.5"c	B&B	
in fall; glossy dark green summer foliage turns yellowish &/or reddish-purple in fall; irregular patches		4"c	B&B	
of gray, green, orange & brown exfoliating bark; compact rounded heads to about 30' tall & wide;				
resistant to drought, Dutch Elm disease & elm leaf beetle; tolerant of salt & urban conditions; locate in				
full sun or light shade & moist or wet to well-drained soil of any pH; Asian native; Zones (5) 6 - 9				
Jlmus x Triumphâ,,¢ ('Morton Glossy')		1.5"c	B&B	
Hybrid Elm		1.75"c	B&B	
DECIDUOUS SHADE TREE; glossy summer foliage turns yellow in fall; very rapid upright grower to		2"c	B&B	
about 50' tall by 40' wide; somewhat vase shaped on maturity; it has slightly arching lateral branching		2.5"c	B&B	
and is resistant to most Elm disease issues; locate in full sun or light shade & moist or wet to		3"c	B&B	
vell-drained soil that's widely pH & salt tolerant [U. Accolade & U. Vanguard] (Chicagoland Grows)		3.5"c	B&B	
Zones 5 - 7		4"c	B&B	
		4.5"c	B&B	
Viburnum plicatum f. plicatum Newport® ('Newzam')			15g	
Dwarf Japanese Snowball Viburnum			J	
DECIDUOUS FLOWERING SHRUB; small white sterile ball-like flowers; dwarf mounding habit to 4' by				
1'; small leathery dark green summer foliage turns dark red to purplish in fall; attracts butterflies;				
ocate in full sun or light shade & well-drained moisture retentive soil; somewhat drought tolerant;				
native to eastern Asia; Zones 5 - 7 (8)				
/iburnum nlicatum f. tamantasum 'Mariasii'			150	
<b>/iburnum plicatum f. tomentosum 'Mariesii'</b> Double-file Viburnum			15g	
DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in				
May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to	,			
ight shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)				
ight shade a wentul amed moistale retentive son, hative to eastern Asia, Zones 5 - 7 (0)				

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

DTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
iburnum plicatum f. tomentosum 'Shasta' ouble-file Viburnum ECIDUOUS FLOWERING SHRUB; profuse 5" white cymes in May along the branches; red fruit in July atures to black over several weeks; dark green summer foliage turns purplish-red to maroon in fall; roadly spreading habit to as much as 6' tall by 12' wide; locate in full sun to light shade & well-drained oisture retentive soil; PHS Gold Metal; native to eastern Asia (Egolf / USNA) Zones (5) 6 - 8			15g	
iburnum prunifolium lackhaw Viburnum ECIDUOUS FLOWERING SHRUB; small white flower clusters in May are a little malodorous; edible uit in September appears pink before turning to black is favored by birds & can be made into jams; ark green summer foliage turns purple to red in fall; upright habit to about 15' tall by 12' wide at aturity; tolerant of drought, urban settings & Black Walnut; locate in full sun or light shade & oisture retentive well-drained soil; eastern US native; Zones 3 - 9			10g	
elkova serrata 'Green Vase' apanese Zelkova ECIDUOUS SHADE TREE; dark green summer foliage turns orange to bronze in fall; vigorous upright orbing heads to about 60' tall by 40' wide; tolerant of urban conditions; locate in full sun or light shade moist well-drained soil of varying pH; PHS Gold Metal; Asian native (Flemer) Zones (4) 5 - 8		1.5"c 1.75"c 2"c 2"c 2.5"c 3"c 3.5"c 4"c 4.5"c	B&B B&B 25g B&B B&B B&B B&B B&B	
elkova serrata Wireless® ('Schmidtlow')  apanese Zelkova  ECIDUOUS SHADE TREE; medium green summer foliage turns red in fall; broadly spreading heads aturing to about 25' tall by 40' wide; selected for use under utility lines; tolerant of urban conditions; cate in full sun or light shade & moist well-drained soil of varying pH; Asian native; Zones (4) 5 - 8		2"c 2.5"c 3"c 4.5"c	B&B B&B B&B B&B	

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

represented by:

Riverfarm Nursa			. 5	AVAIL.	SIZE	ROOTS	QNTY
DO IT I WOLL I WINE				7 (7 (12.	OIZE	ROOTO	QIVII
Delivery Instruc	tions						
Company Name:							
Delivery Address:							
	CITY:	STATE:	ZIP:				
Contact(s):		-					
Phone Numbers:	OFFICE:	N	OBILE:				
	ALTERNATE:		FAX:				
Email Address:							
Requested Delivery Week	<s(s):< td=""><td></td><td></td><td></td><td></td><td></td><td></td></s(s):<>						
Delivery Days / Time:	MON   TUE   WED	THU FRI SAT	SUN FROM	а	m/pm TO	am	/ pm
Special Instructions:							
13 Decision Way West Washington Crossing, PA 18977 www.phintuthill.com	7-1125	represented b	y:			phone: (21 fax: (26 nail: Phin@R	5) 321-4 7) 397-2